GLASSWARE and LIGHTING FIXTURES

E. R. BEERS ELEC. CO
BLOOMSBURG, PA.

CATALOG NO. 26

COMMERCIAL LIGHTING

RESIDENTIAL LIGHTING

GILL GLASS and FIXTURE COMPANY

PHILADELPHIA

How to Order

1. Our terms are 1% 15 days, net 30 days.
2. This Catalogue illustrates our line of Residential and Commercial Glassware and Lighting Fixtures and supersedes all previous issues. Items appearing in previous catalogues which are not illustrated in this one have been discontinued.
3. "Practically all items are packed in specially designed cartons with proper interior parts for each particular number. Our standard packages contain as few of each article as is economically practicable, and for this reason, we do not solicit nor can we accept orders for less than standard packages."
4. Orders on which specifications are not definitely clear cannot be filled without considerable loss of time consumed in writing for needed information. Follow instructions when ordering to facilitate prompt service.
5. State clearly how the goods ordered are to be shipped, whether by freight, express or otherwise. If there is any preference for a certain route, it should be mentioned on the order.
6. Great care is used in filling orders promptly, packing goods properly and obtaining receipts from carriers for delivery in good condition. We cannot, therefore, be responsible for goods damaged or lost in transportation. All possible precautions, however, will be used to prevent injury or delay and if requested, shipment will be traced.
7. All claims concerning the shipment of goods must be made within one week after their receipt.
8. When referring to orders always give the number and date of your order.
9. Orders from persons unknown to us, unless properly rated by commercial agencies should be accompanied by draft or business references, or, if desired to be sent C.O.D., an amount sufficient to cover express or freight charges.
10. "Railroad rates are based on minimum weights of 100 lbs. and if customers order less than 100 lbs. we will assume immediate shipment is desired regardless of weight, unless the order specifically requests shipment with other goods."

ALL PRICES ARE F. O. B. OUR FACTORY
IN PHILADELPHIA

PRICE LIST

Page 2-A
1001 ..... $6.30 List
1035 ..... 25.50 "

Page 2-B
1023 ..... $17.40 List
1025 ..... 24.75 "

Page 2-C
1008 ..... $3.75 List
1010 ..... 5.25 "
1033 ..... 18.15 "

Page 3-A
2001 ..... $6.30 List
2035 ..... 24.75 "

Page 3-B
2023 ..... $16.20 List
2025 ..... 24.00 "

Page 3-C
2021 ..... $9.30 List
2033 ..... 16.95 "

Page 4-A
4001 ..... $5.70 List
4035 ..... 23.25 "

Page 4-B
4021 ..... $10.80 List
4023 ..... 16.35 "
4025 ..... 22.50 "

Page 4-C
4031 ..... $11.55 List
4033 ..... 17.10 "

Page 5
3035 With Switch ..... $12.00 List
3035 Without Switch ..... 11.25 "

Page 5-A
3001 ..... $4.05 List
3023 ..... 7.68 "
3025 ..... 10.65 "
3033 ..... 8.13 "

Page 6
5716-1 ..... $18.75 List
5716-2 ..... 18.75 "

Page 6-A
5726-1 ..... $14.25 List
5712-1 ..... 12.75 "
5712-2 ..... 12.75 "
5701 ..... 6.45 "

Page 6-B
5726-2 ..... $14.25 List
5722-2 ..... 9.00 "
5721-2 ..... 3.30 "
5721-1 ..... 12.75 "
5722-1 ..... 12.75 "
8701 ..... 6.45 "

Page 6-C
8716-1 ..... $18.75 List
8716-2 ..... 18.75 "

Page 7-A
5721-1 ..... $3.30 List
435 ..... 24.75 "
5701 ..... 6.45 "

Page 7-B
425 ..... $24.00 List
421 ..... 9.30 "
423 ..... 16.20 "

Page 7-C
431 ..... $10.05 List
433 ..... 16.95 "

Page 8-A
1801 ..... $6.15 List
1835 ..... 21.75 "

Page 8-B
1821 ..... $8.40 List
1823 ..... 13.35 "
1825 ..... 21.00 "

Page 8-C
1831 ..... $9.15 List
1833 ..... 14.10 "

Page 9-A
2135 ..... $24.00 List
2101 ..... 6.45 "

Page 9-B
2125 ..... $23.25 List
2121 ..... 9.45 "
2123 ..... 15.90 "

Page 9-C
2133 ..... $16.65 List
2131 ..... 10.20 "

Page 10-A
5035 Col. Brass ..... $19.50 List
5035 Pol. Chrome ..... 21.00 "
5001 Col. Brass ..... 6.00 "
5001 Pol. Chrome ..... 6.30 "

Page 10-B
5025 Col. Brass ..... $18.75 List
5025 Pol. Chrome ..... 20.25 "
4031 Col. Brass ..... 11.55 "
4031 Pol. Chrome ..... 12.00 "
4021 Col. Brass ..... 10.80 "
4021 Pol. Chrome ..... 11.25 "

Page 10-C
5023 Col. Brass ..... $13.50 List
5023 Pol. Chrome ..... 14.55 "
5033 Col. Brass ..... 14.25 "
5033 Pol. Chrome ..... 15.30 "

Page 11-A
1335 ..... $21.00 List
8701 ..... 6.45 "

Page 11-B
1325 ..... $20.25 List
1323 ..... 13.20 "
1331 ..... 10.05 "

Page 11-C
1333 ..... $13.95 List
5721-2 ..... 3.30 "
1321 ..... 9.30 "

Page 12-A
9431 ..... $9.75 "
9433 ..... 18.00 "

Page 12-B
9400 ..... $1.65 List
9421 ..... 9.00 "
9425 ..... 24.75 "
9441 ..... 9.75 "

Page 12-C
9401 ..... $6.30 List
9423 ..... 17.25 "
9435 ..... 25.50 "

Page 13-A
5435 ..... $24.75 List
5441 Bone White and Gold.. 6.00 "
5441 Copper Bronze ..... 6.60 "
5441 Polished Chromium ... 6.60 "

Page 13-B
5425 ..... $24.00 List
5421 ..... 8.40 "
5433 ..... 16.65 "

Page 13-C
5401 ..... $6.60 List
5423 ..... 15.90 "
5431 ..... 10.20 "

Page 14-A
1601 ..... $4.50 List
1635 ..... 16.50 "

Page 14-B
1621 ..... $7.35 List
1623 ..... 11.85 "
1625 ..... 16.05 "

Page 14-C
1631 ..... $7.80 List
1633 ..... 12.21 "

Page 19
180 ..... $21.00 List
140 ..... 16.50 "

Page 20
1050 ..... $18.75 List
9050 ..... 18.75 "

Page 20-A
1050½ ..... $14.25 List
9050½ ..... 14.25 "

Page 21-A
6731 ..... $10.56 List
6741 ..... 11.19 "

Page 21-B
6711 ..... $9.75 List
6716 ..... 21.27 "

Page 21-C
6721 ..... $10.08 List
6726 ..... 20.46 "

Page 22-A
9711 ..... $9.75 List
9716 ..... 21.27 "

Page 22-B
9731 ..... $11.82 List
9741 ..... 11.82 "

Page 22-C
9721 ..... $11.01 List
9726 ..... 20.46 "

Page 23
7711 ..... $7.80 List
7716 ..... 19.50 "
7716 (3-circuit Sw.) ..... 21.30 "

Page 24
5722-1 Copper Bronze ..... $9.00 List
5722-1 Bone White & Gold.. 8.25 "
5722-2 Copper Bronze ..... 9.00 "
5722-2 Bone White & Gold.. 8.25 "
5450 ..... 4.50 "
5721-1 Copper Bronze ..... 3.30 "
5721-1 Bone White & Gold.. 2.70 "
5721-2 Copper Bronze ..... 3.30 "
5721-2 Bone White & Gold.. 2.70 "

Page 25
5449 ..... $3.30 List
5449-2 ..... 2.85 "
5460 ..... 4.05 "

FEBRUARY 1st. 1940

PRICE LIST—Continued

Page 26

5444	$6.00	List
5444-S	7.50	"
5444-D	7.50	"

Page 27

14/3208G	$3.00	List
3208G	1.50	"
14/FL3208	5.25	"
FL3208	3.75	"

Page 28

21	$4.80	List
22	8.25	"
23	9.75	"
25	14.85	"
28-A	9.75	"
30-A	11.25	"

Page 29-A

4412	4.77	List
4412-2	4.44	"

Page 30

C-100	$3.00	List

Page 30-A

C-100-2	$2.70	List

Page 31

9441 Copper Bronze	$9.75	List
9441 Ivory and Gold	9.45	"
9441-S Copper Bronze	10.50	"
9441-S Ivory and Gold	10.26	"
9441-D Copper Bronze	10.50	"
9441-D Ivory and Gold	10.26	"

Page 33

5441 Chrome or Bronze	$6.60	List
5441 Ivory and Gold	6.00	"
5441-S Chrome or Bronze	8.55	"
5441-S Ivory and Gold	7.50	"
5441-D Chrome or Bronze	8.55	"
5441-D Ivory and Gold	7.50	"

Page 34

5442 Chrome or Bronze	$6.60	List
5442 Ivory and Gold	6.00	"
5442-S Chrome or Bronze	8.55	"
5442-S Ivory and Gold	7.50	"
5442-D Chrome or Bronze	8.55	"
5442-D Ivory and Gold	7.50	"

Page 35

5443 Chrome or Bronze	$6.60	List
5443 Ivory and Gold	6.00	"
5443-S Chrome or Bronze	8.55	"
5443-S Ivory and Gold	7.50	"
5443-D Chrome or Bronze	8.55	"
5443-D Ivory and Gold	7.50	"

Page 36

5447 7x4 Opal Ball	$1.35	List
5448 8x4 Opal Ball	1.50	"
5447 7x4 Nugold Ball	1.50	"
FL-5447 with Flowered Louvre	3.75	"
SL-5447 with Striped Louvre	3.30	"
SL-5448 with Striped Louvre	3.75	"
807/SL-5447 Fixture Complete	6.75	"
808/SL-5448 Fixture Complete	7.50	"
14/FL-5447 Fixture Complete	5.25	"
14 Ivory and Gold	1.50	"

Page 46

1306G Enameled	$3.15	List
1308G Enameled	3.45	"
3206EL Enameled	3.15	"
3206L Hyperion	2.79	"
3208EL Enameled	3.45	"
3208L Hyperion	3.00	"
6308EL Enameled	3.45	"
6308L Hyperion	3.00	"
6108L Hyperion	3.00	"
6208EL Enameled	3.45	"
6208L Hyperion	3.00	"

Page 47

1306	$1.26	List
1306G	3.15	"
1308	1.59	"
1308G	3.45	"
12/1306G	4.65	"
12/1308G	4.95	"

Page 48

497	$1.05	List
L497	3.00	"
12/L497	4.50	"
498	1.50	"
L498	3.45	"
12/L498	4.95	"

Page 49

294	$1.20	List
295	1.50	"
296	1.20	"
296-C	1.65	"
299	1.50	"
299-C	1.95	"
12/294 Chromalustre	2.25	"
12/294 Pol. Chrome	2.70	"
12/295 Chromalustre	2.55	"
12/295 Pol. Chrome	3.00	"
12/296 Chromalustre	2.25	"
12/296 Pol. Chrome	2.70	"
12/299 Chromalustre	2.55	"
12/299 Pol. Chrome	3.00	"

Page 50

143-A No Conv. Outlet	$6.75	List
143-A With Conv. Outlet	7.20	"
142-A No Conv. Outlet	4.50	"
142-A With Conv. Outlet	4.95	"
B145/G4 No Conv. Outlet	4.50	"
B145/G4 With Conv. Outlet	4.95	"
B146/G4 No Conv. Outlet	4.50	"
B147/G4 No Conv. Outlet	4.50	"
B144	2.55	"
B155	4.05	"
B155½	3.60	"

Page 53

B150	$7.50	List

Page 59

F216	$11.85	List
F216G	13.35	"
F218	13.35	"
F218G	15.00	"

Page 60

3116G	$12.15	List
3118G	13.65	"
3123G	21.75	"

Page 60-A

3116M	$12.15	List
3118M	13.65	"
3123M	21.75	"
4011	8.25	"

Page 61-B

F318	$24.75	List
F322	32.25	"
4011	8.25	"

Page 62

4018	$17.40	List
4018G	18.90	"
4022	21.30	"
4022G	23.70	"

Page 63

9412	$14.70	List
9414	15.60	"
9416	17.40	"
9418	22.05	"

Page 63-A

9411	$8.67	List
9422	13.80	"
9424	15.60	"
9426	16.50	"
9428	21.30	"
9441	9.75	"

Page 64

9014 Stained Bronze	$20.85	List
9014 Polished Chrome	24.15	"
9016 Stained Bronze	24.75	"
9016 Polished Chrome	28.95	"
9019 Stained Bronze	29.70	"
9019 Polished Chrome	34.65	"
9030 Stained Bronze	94.50	"
9030 Polished Chrome	113.40	"

Page 64-A

9011 Stained Bronze	$8.67	List
9011 Polished Chrome	10.23	"
9024 Stained Bronze	19.20	"
9024 Polished Chrome	21.60	"
9026 Stained Bronze	23.10	"
9026 Polished Chrome	26.40	"
9029 Stained Bronze	28.05	"
9029 Polished Chrome	32.25	"
9044 Stained Bronze	10.95	"
9044 Polished Chrome	12.60	"
9046 Stained Bronze	14.10	"
9046 Polished Chrome	16.05	"
9049 Stained Bronze	17.40	"
9049 Polished Chrome	19.80	"

Page 66

8166	$8.76	List
716/8166	14.88	"
726/8166	13.89	"

Page 68

6012	$13.92	List
6014	14.88	"
6016	16.50	"
6018	21.00	"
6020	27.00	"

Page 68-A

6011	$8.67	List
6021	8.82	"
6022	13.08	"
6024	14.82	"
6026	15.72	"
6028	20.22	"
6030	26.22	"
6721	9.60	"

Page 69

7018 Stained Bronze	$17.34	List
7018 Polished Chrome	17.34	"
7020 Stained Bronze	20.49	"
7020 Polished Chrome	20.49	"

Page 70

1611	$9.09	List
2616	12.75	"
2618	16.23	"
2620	24.57	"
2620-A	25.47	"
2626	11.25	"
2628	14.73	"
2630	23.07	"
2630-A	23.97	"

Page 71

3011	$5.52	List
3016	11.25	"
3018	12.75	"
3022	17.10	"

PRICE LIST—Continued

Page 73

3700	$9.45	List
3700-C	9.45	"
916/3700-C	14.19	"
916/3700	14.19	"
926/3700	13.38	"
926/3700-C	13.38	"
3722	17.34	"
3722-C	17.34	"
916/3722	22.05	"
916/3722-C	22.05	"
926/3722	21.27	"
926/3722-C	21.27	"

Page 74

416	$10.23	List
418	13.71	"
420	23.31	"
420-A	24.21	"
426	9.15	"
428	12.63	"
430	22.23	"
430-A	23.13	"

Page 76

4416 With Color	$13.23	List
4416 Nugold St. Bronze	13.23	"
4418 With Color	17.01	"
4418 Nugold St. Bronze	17.01	"
4420 With Color	25.83	"
4420 Nugold St. Bronze	25.83	"
4420-A With Color	26.73	"
4420-A Nugold St. Bronze	26.73	"
4426 With Color	11.73	"
4426 Nugold St. Bronze	11.73	"
4428 With Color	15.51	"
4428 Nugold St. Bronze	15.51	"
4430 With Color	24.33	"
4430 Nugold St. Bronze	24.33	"
4430-A With Color	25.23	"
4430-A Nugold St. Bronze	25.23	"

Page 78

4616	$12.75	List
4618	16.23	"
4626	11.25	"
4628	14.73	"

Page 80

4516	$15.00	List
4518	19.26	"
4526	13.50	"
4528	17.75	"

Page 84

816/B22 Chrome	$9.45	List
816/B22 Cadmium	8.79	"
816/B24 Chrome	11.40	"
816/B24 Cadmium	10.74	"
816/B26 Chrome	12.60	"
816/B26 Cadmium	11.94	"

Page 86

812/S12	$10.44	List
814/S14	13.08	"

Page 90

1616	$18:18	List
1620	30.27	"

Page 90-A

1611	$9.09	List
1626	18.18	"
1630	30.27	"

Page 104

3309	$1.71	List
3312	2.67	"
3314	3.42	"
3316	5.04	"
3318	7.80	"
L3309	3.00	"
L3312	4.20	"
L3314	5.10	"
L3316	7.20	"
L3318	10.20	"
714-L3309	7.50	"
716-L3312	8.85	"
716-L3314	9.75	"
716-L3316	11.85	"
716-L3318	14.85	"
724-L3309	6.90	"
726-L3312	8.25	"
726-L3314	9.15	"
726-L3316	11.25	"
726-L3318	14.25	"

Page 104-A

3306	$0.99	List
3508	1.56	"
3510	2.37	"
3512	3.63	"
3514	4.59	"
L3306	2.40	"
L3508	2.91	"
L3510	3.87	"
L3512	5.28	"
L3514	6.54	"
702-L3306 Chromal	7.20	"
706-L3508 Chrome	4.80	"
706-L3508 Chromal	4.20	"
708-L3510 Chrome	6.75	"
708-L3510 Chromal	6.15	"
710-L3512 Chrome	9.15	"
710-L3512 Chromal	8.55	"
712-L3514 Chrome	11.70	"
712-L3514 Chromal	11.10	"

Page 106

2908	$.84	List
2910	1.44	"
2912	2.28	"
2914	2.91	"
2916	4.02	"
2918	6.24	"
L2908	2.40	"
L2910	3.00	"
L2912	3.81	"
L2914	4.59	"
L2916	6.18	"
L2918	8.64	"
714-L2908	6.90	"
714-L2910	7.50	"
716-L2912	8.46	"
716-L2914	9.24	"
716-L2916	10.83	"
716-L2918	14.28	"

Page 106-A

2908	$.84	List
2910	1.44	"
2912	2.28	"
2914	2.91	"
2916	4.02	"
2918	6.24	"
L2908	2.40	"
L2910	3.00	"
L2912	3.81	"
L2914	4.59	"
L2916	6.18	"
L2918	8.64	"
704-L2908	7.50	"
724-L2908	6.30	"
724-L2910	6.90	"
726-L2912	7.86	"
726-L2914	8.64	"
726-L2916	10.23	"
726-L2918	12.69	"

Page 108

1708	$0.99	List
1709	1.11	"
1712	2.67	"
1714	3.42	"
1716	5.04	"
1718	7.80	"
CL1708	2.58	"
CL1709	3.00	"
CL1712	4.20	"
CL1714	5.10	"
CL1716	7.20	"
CL1718	10.20	"
714-CL1708	7.38	"
714-CL1709	7.50	"
716-CL1712	8.85	"
716-CL1714	9.75	"
716-CL1716	11.85	"
716-CL1718	14.85	"

Page 108-A

1708	$0.99	List
1709	1.11	"
1712	2.67	"
1714	3.42	"
1716	5.04	"
1718	7.80	"
CL1708	2.58	"
CL1709	3.00	"
CL1712	4.20	"
CL1714	5.10	"
CL1716	7.20	"
CL1718	10.20	"
704-CL1708	7.68	"
724-CL1708	6.48	"
724-CL1709	6.90	"
726-CL1712	8.25	"
726-CL1714	9.15	"
726-CL1716	11.25	"
726-CL1718	14.25	"

Page 110 .

601	$1.71	List
602	2.67	"
603	3.42	"
604	5.04	"
L601	3.00	"
L602	4.20	"
L603	5.10	"
L604	7.20	"

Page 112

1708	$0.99	List
1712	2.67	"
1714	3.42	"
1716	5.04	"
L1708	5.91	"
L1712	9.18	"
L1714	10.74	"
L1716	14.82	"
701-L1708	12.66	"
736-L1712	17.58	"
736-L1714	19.29	"
736-L1716	23.37	"

Page 112-A

1712	$2.67	List
1714	3.42	"
1716	5.04	"
L1712	9.18	"
L1714	10.74	"
L1716	14.82	"
716-L1712	13.83	"
716-L1714	15.39	"
716-L1716	19.47	"
726-L1712	13.23	"
726-L1714	14.79	"
726-L1716	18.87	"

PRICE LIST—Continued

Page 114

57-8	$0.99 List
57-10	1.74 "
57-12	2.67 "
57-14	4.74 "
57-16	5.82 "
57-18	12.96 "
L-57-8	2.19 "
L-57-10	3.30 "
L-57-12	4.32 "
L-57-14	6.33 "
L-57-16	8.07 "
L-57-18	15.66 "
714-L57-8	6.69 "
716-L57-10	7.95 "
716-L57-12	8.97 "
716-L57-14	10.98 "
716-L57-16	12.72 "
716-L57-18	20.31 "

Page 114-A

57-6	$0.66 List
57-8	.99 "
57-10	1.74 "
57-12	2.67 "
57-14	4.74 "
57-16	5.82 "
57-18	12.96 "
L57-6	1.86 "
L57-8	2.19 "
L57-10	3.30 "
L57-12	4.32 "
L57-14	6.33 "
L57-16	8.07 "
L57-18	15.66 "
702-L57-6	6.15 "
724-L57-8	6.09 "
726-L57-10	7.35 "
726-L57-12	8.37 "
726-L57-14	10.38 "
726-L57-16	12.12 "
726-L57-18	19.71 "

Page 121

1008 White Enamel	$3.00 List
1008 Pol. Chrome	3.75 "
1010 White Enamel	4.50 "
1010 Pol. Chrome	5.25 "
3706	1.70 "
3708	1.95 "
3710	2.85 "
3712	4.35 "
3714	5.55 "
206/3706	3.75 "
208/3708	4.20 "
210/3710	6.00 "
212/3712	7.50 "
214/3714	9.75 "

Page 122

3508	$1.56 List
3508½	1.77 "
3510	2.37 "
3510½	2.61 "
3512	3.63 "
3512½	4.02 "
3514	4.59 "
3514½	5.01 "
3516	5.97 "
3516½	6.36 "
706-3508 Chrome	3.45 "
706-3508 Chromalustre	2.85 "
708-3510 Chrome	5.25 "
708-3510 Chromalustre	4.65 "
708½-3508½ Chrome	3.45 "
708½-3508½ Chromalustre	2.85 "
710-3512 Chrome	7.50 "
710-3512 Chromalustre	6.90 "
710½-3510½ Chrome	5.25 "
710½-3510½ Chromalustre	4.65 "
712-3514 Chrome	9.75 "
712-3514 Chromalustre	9.15 "
712½-3512½ Chrome	7.50 "

Page 122—Continued

712½-3512½ Chromalustre	$6.90 List
714-3516 Chrome	14.25 "
714-3516 Chromalustre	13.50 "
714½-3514½ Chrome	9.75 "
714½-3514½ Chromalustre	9.15 "
716½-3516½ Chrome	14.25 "
716½-3516½ Chromalustre	13.50 "

Page 132

2400	$2.85 List
2400E-3	3.96 "

Page 136

2300	$2.85 List
2300E-2	3.96 "

Page 140

165	$6.30 List

Page 142

1464	$2.37 List
1464D	3.30 "
1465	4.71 "
1465D	6.30 "

Page 148

184 Without Ring	$2.04 List
2264 Without Ring	2.37 "
2264E Without Ring	3.30 "
2408	2.04 "

Page 154

2257	$1.89 List
2257E	2.82 "
2258	5.88 "
2258E	8.31 "
2259	1.89 "
2259E	2.82 "
2260	3.99 "
2260E	5.73 "

Page 158

1257	$1.89 List
1257E	2.82 "
1258	5.88 "
1258E	8.31 "
1259	1.89 "
1259E	2.82 "
1260	3.99 "
1260E	5.73 "

Page 159

1309	$1.74 List
1312	3.90 "
1315G	4.05 "
1315M	4.05 "
1319G	8.55 "
1319M	8.55 "

Page 159-A

6308 Hyp. without Louvre	$1.05 List
6308L Hyp. with Louvre	3.00 "
6308E Enamel. without Louvre	1.59 "
6308EL Enamel. with Louvre	3.45 "
6312 Hyp. without Louvre	3.15 "
6312L Hyp. with Louvre	6.90 "
6312E Enamel. without Louvre	3.90 "
6312EL Enamel. with Louvre	7.65 "
6314 Hyp. without Louvre	3.81 "
6314L Hyp. with Louvre	7.95 "
6314E Enamel. without Louvre	4.80 "
6314EL Enamel. with Louvre	8.94 "
6316 Hyp. without Louvre	5.61 "
6316L Hyp. with Louvre	10.05 "
6316E Enamel. without Louvre	6.60 "
6316EL Enamel. with Louvre	11.04 "

With Metal Louvres

6308M	$3.30 List
6312M	7.38 "
6314M	7.83 "
6316M	13.89 "
6308EM	4.05 "
6312EM	8.55 "
6314EM	9.63 "
6316EM	16.44 "

Page 159-B

6309E	$1.74 List
6312E	3.90 "
6315G	4.05 "
6315M	4.05 "
6319G	8.55 "
6319M	8.55 "

Page 160-A

3206 Plain Opal	$0.90 List
3206E Enameled	1.26 "
3206G Nugold	1.26 "
3206L Plain Opal with Louvre	2.79 "
3206EL Enameled with Louvre	3.15 "
3208 Plain Opal	1.05 "
3208E Enameled	1.59 "
3208G Nugold	1.59 "
3208L Plain Opal with Louvre	3.00 "
3208EL Enameled with Louvre	3.45 "
3214 Plain Opal	3.81 "
3214E Enameled	4.80 "
3214G Nugold	4.80 "
3214L Plain Opal with Louvre	7.95 "
3214EL Enameled with Louvre	8.94 "
3216 Plain Opal	5.61 "
3216E Enameled	6.60 "
3216G Nugold	6.60 "
3216L Plain Opal with Louvre	10.05 "
3216EL Enameled with Louvre	11.04 "

Page 160-B

6108	$1.05 List
6112	3.15 "
6114	3.81 "
6116	5.61 "
6118	8.67 "
6108-L	3.00 "
6112-L	6.90 "
6114-L	7.95 "
6116-L	10.05 "

Page 160-C

6208 Plain Hyperion Opal	$1.05 List
6212 Plain Hyperion Opal	3.15 "
6214 Plain Hyperion Opal	3.81 "
6216 Plain Hyperion Opal	5.61 "
6208-E Enameled	1.59 "
6212-E Enameled	3.90 "
6214-E Enameled	4.80 "
6216-E Enameled	6.60 "
6208-L Hyp. Opal with Disc.	3.00 "
6212-L Hyp. Opal with Disc.	6.90 "
6214-L Hyp. Opal with Disc.	7.95 "
6216-L Hyp. Opal with Disc.	10.05 "
6208-EL Enameled with Disc.	3.45 "
6212-EL Enameled with Disc.	7.65 "
6214-EL Enameled with Disc.	8.94 "
6216-EL Enameled with Disc.	11.04 "

Page 160-D

1215 Opal Glass	$3.30 List
1215B Blue Bottom	3.75 "
1215E Enameled Bottom	4.05 "
1219 Opal Glass	7.38 "
1219B Blue Bottom	8.10 "
1219E Enameled Bottom	8.55 "
1222 Opal Glass	7.83 "
1222B Blue Bottom	8.76 "

PRICE LIST—Continued

Page 160-D—Continued

1222E Enameled Bottom	$ 9.63 List
1225 Opal Glass	13.89 "
1225B Blue Bottom	15.24 "
1225E Enameled Bottom	16.44 "

Page 160-DD

2215	$3.30 List
2215E	4.05 "
2215B	3.75 "
2219	7.38 "
2219E	8.55 "
2219B	8.10 "
2222	7.83 "
2222E	9.63 "
2222B	8.76 "
2225	13.89 "
2225E	16.44 "
2225B	15.24 "

Page 160-E

3608 Opal	$1.77 List
3608-B Blue Bottom	2.22 "
3610 Opal	2.61 "
3610-B Blue Bottom	3.21 "
3612 Opal	4.02 "
3612-B Blue Bottom	4.77 "
3614 Opal	5.01 "
3614-B Blue Bottom	6.00 "
3616 Opal	6.36 "
3616-B Blue Bottom	7.80 "
6208-B Blue Bottom	1.29 "
6212-B Blue Bottom	3.45 "
6214-B Blue Bottom	4.26 "
6216-B Blue Bottom	6.06 "
708½/3608 Opal Chrome	3.45 "
708½/3608 Opal Chromalustre	2.85 "
710½/3610 Opal Chrome	5.25 "
710½/3610 Opal Chromalustre	4.65 "
712½/3612 Opal Chrome	7.50 "
712½/3612 Opal Chromalustre	6.90 "
714½/3614 Opal Chrome	9.75 "
714½/3614 Opal Chromalustre	9.15 "
716½/3616 Opal Chrome	14.25 "
716½/3616 Opal Chromalustre	13.50 "
708½/3608B Blue Chrome	3.90 "
708½/3608B Blue Chromalustre	3.30 "
710½/3610B Blue Chrome	5.85 "
710½/3610B Blue Chromalustre	5.25 "
712½/3612B Blue Chrome	8.25 "
712½/3612B Blue Chromalustre	7.65 "
714½/3614B Blue Chrome	10.74 "
714½/3614B Blue Chromalustre	10.14 "
716½/3616B Blue Chrome	15.69 "
716½/3616B Blue Chromalustre	14.94 "

Page 160-F

G6112	$4.74 List
G6114	7.26 "
G6116	9.15 "
G6118	12.99 "

Page 161

G710	$3.60 List
G712	4.74 "
G714	7.26 "
G716	9.15 "
G718	12.99 "
G720	26.79 "

Page 163

400	$1.17 List
401	2.67 "
402	3.42 "
612	0.99 "
612½	1.17 "
613	1.71 "
614	2.67 "
615	3.42 "
616	5.04 "
641	0.93 "
641½	1.11 "
642	1.74 "
643	2.97 "
644	3.81 "
645	5.61 "
646	8.67 "
701	0.99 "
702	1.17 "
703	1.71 "
704	2.67 "
705	3.42 "
706	5.04 "
707	7.80 "
2908	0.84 "
2910	1.44 "
2912	2.28 "
2914	2.91 "
2916	4.02 "
2918	6.24 "
3309	1.71 "
3312	2.67 "
3314	3.42 "
3316	5.04 "
3318	7.80 "

Page 165

600	$0.99 List
600½	1.17 "
601	1.71 "
602	2.67 "
603	3.42 "
604	5.04 "
606	0.84 "
606½	0.99 "
607	1.44 "
608	2.28 "
609	2.91 "
610	4.02 "
611	6.24 "
611½	11.91 "
618	0.99 "
618½	1.17 "
619	1.71 "
620	2.67 "
112	2.67 "
621	3.42 "
622	5.04 "
623	7.80 "
636	0.99 "
636½	1.17 "
637	1.71 "
638	2.67 "
639	3.42 "
640	5.04 "
8608	0.84 "
8609	0.99 "
8610	1.44 "
8612	2.28 "
8614	2.91 "
8616	4.02 "
8618	6.24 "
8620	11.91 "

Page 204

5510D	$3.63 List

Page 214

1707E	$1.74 List
1709E	2.97 "

Page 229

10 Approved	$2.16 List
308 Approved	1.08 "
308 Unapproved	1.02 "
309 Approved	1.41 "
309 Unapproved	1.35 "
310 Approved	1.41 "
310 Unapproved	1.35 "
311 Approved	1.41 "
311 Unapproved	1.35 "
315 Approved	1.41 "
315 Unapproved	1.35 "
317 Approved	1.41 "
317 Unapproved	1.35 "
338 Approved	1.32 "
338 Unapproved	1.26 "
501	0.75 "
506	0.87 "

Page 230

1100	$5.43 List
1150	6.45 "
3100	5.43 "
3150	6.45 "
4100	5.43 "
4200	6.45 "
Flush Mounting Rings	0.93 "

Page 232

260	$1.71 List
78-12"	3.66 "
78-14"	5.55 "
78-16"	7.80 "
1558-8"	1.65 "
1558-10"	2.49 "
1558-12"	3.81 "
1558-14"	4.83 "
7001	.90 "
7002	1.32 "
7003	1.68 "
7006	.90 "
7007	1.23 "
7008	1.44 "
7009	1.86 "

Page 236

B-57-6	$0.66 List
B-57-7	0.84 "
B-57-8	0.99 "
B-57-10	1.74 "
B-57-12	2.67 "
B-57-14	4.74 "
B-57-16	5.82 "
B-57-18	12.96 "
B-57-20	22.50 "
300	0.66 "
499	0.78 "
501	0.78 "
1520-6"	0.63 "
1520-7"	0.84 "
1520-8"	1.17 "
1910-11"	3.00 "
1910-13"	3.93 "
1910-15"	4.74 "
1911	0.66 "

* Prices of Balls with Metal Fitters given on request.

NUMERICAL INDEX

Number	Page
10	229
12/294	49
12/295	49
12/296	49
12/299	49
12/L497	48
12/L498	48
12/1306G	47
12/1308G	47
14 Ivory & Gold	36
14/3208G	27
14/FL3208	27
14/FL5447	36
21	28
22	28
23	28
25	28
28A	28
30A	28
B-57-6	236
B-57-7	236
B-57-8	236
B-57-10	236
B-57-12	236
B-57-14	236
B-57-16	236
B-57-18	236
B-57-20	236
L-57-6	114
L-57-8	114/114A
L-57-10	114/114A
L-57-12	114/114A
L-57-14	114/114A
L-57-16	114/114A
L-57-18	114/114A
78	232
C-100	30
C-100-2	30A
112	165
140	19
142-A	50
143-A	50
B144	50
B145/G4	50
B146/G4	50
B147/G4	50
B150	53
B155	50
B155½	50
165	140
180	19
184	148
206/3706	121
208/3708	121
210/3710	121
212/3712	121
214/3714	121
F-216	59
F-216G	59
F-218	59
F-218G	59
260	232
294	49
295	49
296	49
296C	49
299	49
299C	49
300	236
308	229
309	229
310	229
311	229
315	229
317	229
F-318	61B
F-322	61B
338	229
400	163
401	163
402	163
416	74
418	74
420	74
420A	74
421	7B
423	7B
425	7B
426	74
428	74
430	74
430A	74
431	7C
433	7C
435	7A
497	48
L497	48
498	48
L498	48
499	236
501	229/236
506	229
600	165
600½	165
601	110/165
L601	110
602	110/165
L602	110
603	110/165
L603	110
604	110/165
L604	110
606	165
606½	165
607	165
608	165
609	165
610	165
611	165
611½	165
612	163
612½	163
613	163
614	163
615	163
616	163
618	165
618½	165
619	165
620	165
621	165
622	165
623	165
636	165
636½	165
637	165
638	165
639	165
640	165
641	163
641½	163
642	163
643	163
644	163
645	163
646	163
701	163
701/L1708	112
702	163
702/L57	114
702/L3306	104A
703	163
704	163
704/CL1708	108A
704/L2908	106A
705	163
706	163
706/3508	122
706/L3508	104A
707	163
708/3510	122
708/L3510	104A
708½/3508½	122
708½/3608	160E
708½/3608-B	160E
710/3512	122
710/L3512	104A
G710	161
710½/3510½	122
710½/3610	160E
710½/3610-B	160E
712/3514	122
712/L3514	104A
G712	161
712½/3512½	122
712½/3612	160E
712½/3612-B	160E
714/3516	122
714/L57	114
714/CL1708	108
714/CL1709	108
714/L2908	106
714/L2910	106
714/L3309	104
G714	161
714½/3514½	122
714½/3614	160E
714½/3614-B	160E
716/L57	114
716/CL1712	108
716/CL1714	108
716/CL1716	108
716/CL1718	108
716/L1712	112A
716/L1714	112A
716/L1716	112A
716/L2912	106
716/L2914	106
716/L2916	106
716/L2918	106
716/L3312	104
716/L3314	104
716/L3316	104
716/L3318	104
716/8166	66
G716	161
716½/3516½	122
716½/3616	160E
716½/3616-B	160E
G718	161
G720	161
724/L57	114A
724/CL1708	108A
724/CL1709	108A
724/L2908	106A
724/L2910	106A
724/L3309	104
726/L57	114A
726/CL1712	108A
726/CL1714	108A
726/CL1716	108A
726/CL1718	108A
726/L1712	112A
726/L1714	112A
726/L1716	112A
726/L2912	106A
726/L2914	106A
726/L2916	106A
726/L2918	106A
726/L3312	104
726/L3314	104
726/L3316	104
726/L3318	104
726/8166	66
736/L1712	112
736/L1714	112
736/L1716	112
807-SL5447	36
808-SL5448	36
812/S12	86
814/S14	86
816/B22	84
816/B24	84
816/B26	84
916/3700	73
916/3700-C	73
916/3722	73
916/3722-C	73
926/3700	73
926/3700-C	73
926/3722	73
926/3722-C	73
1001	2A
1008	2C/121
1010	2C/121
1023	2B
1025	2B
1033	2C
1035	2A
1050	20
1050½	20A
1100	230
1150	230
1215	160D
1215-E	160D
1215-B	160D
1219	160D
1219-E	160D
1219-B	160D
1222	160D
1222-E	160D
1222-B	160D
1225	160D
1225-E	160D
1225-B	160D
1257	158
1257-E	158
1258	158
1258-E	158
1259	158
1259-E	158
1260	158
1260-E	158
1306	47
1306G	46/47
1308	47
1308G	46/47
1309	159
1312	159
1315G	159
1315M	159
1319G	159
1319M	159
1321	11C
1323	11B
1325	11B
1331	11B
1333	11C
1335	11A
1464	142
1464-D	142
1465	142
1465-D	142
1520	236
1558	232
1601	14A
1611	70-90A
1616	90
1620	90
1621	14B
1623	14B
1625	14B
1626	90A
1630	90A
1631	14C
1633	14C
1635	14A
1707-E	214
1708	108/112
CL1708	108-108A
L1708	112
1709	108-108A
CL1709	108-108A
1709-E	214
1712	108/112
CL1712	108-108A
L1712	112-112A
1714	108/112
CL1714	108-108A
L1714	112-112A
1716	108/112
CL1716	108-108A
L1716	112-112A
1718	108
CL1718	108-108A
1801	8A
1821	8B
1823	8B
1825	8B
1831	8C
1833	8C
1835	8A
1910	236
1911	236
2001	3A
2021	3C
2023	3B
2025	3B
2033	3C
2035	3A
2101	9A
2121	9B
2123	9B
2125	9B
2131	9C

Number	Page
2133	9C
2135	9A
2215	160DD
2215-B	160DD
2215-E	160DD
2219	160DD
2219-B	160DD
2219-E	160DD
2222	160DD
2222-B	160DD
2222-E	160DD
2225	160DD
2225-B	160DD
2225-E	160DD
2257	154
2257-E	154
2258	154
2258-E	154
2259	154
2259-E	154
2260-E	154
2260	154
2264	148
2264-E	148
2300	136
2300-E2	136
2400	132
2400-E3	132
2408	148
2616	70
2618	70
2620	70
2620-A	70
2626	70
2628	70
2630	70
2630-A	70
2908	163/106
L2908	106-106A
2910	163/106
L2910	106-106A
2912	163/106
L2912	106-106A
2914	163/106
L2914	106-106A
2916	163/106
L2916	106-106A
2918	163-106
L2918	106-106A
3001	5A
3011	71
3016	71
3018	71
3022	71
3023	5A
3025	5A
3033	5A
3035	5
3100	230
3116-G	60
3116-M	60A
3118-G	60
3118-M	60A
3123-G	60
3123-M	60A
3150	230
3206 Plain Opal	160A
3206-E Enameled	160A
3206-G Nugold	160A
3206-EL	46/160A
3206-L	46/160A
3208 Plain Opal	160A
3208-E Enameled	160A
3208-G Nugold	27/160A
3208-EL	46/160A
3208-L	46/160A
FL3208	27
3214 Plain Opal	160A
3214-E Enameled	160A
3214-G Nugold	160A
3214-L Opal with Louvre	160A
3214-EL	160A
3216 Plain Opal	160A
3216-E Enameled	160A
3216-G Nugold	160A
3216-L Opal with Louvre	160A
3216-EL	160A
3306	104A
L3306	104A
3309	163/104
L3309	104
3312	163/104
L3312	104
3314	163/104
L3314	104
3316	163/104
L3316	104
3318	163/104
L3318	104
3508	122/104A
L3508	104A
3508½	122
3510	104A/122
L3510	104A
3510½	122
3512	104A/122
L3517	104A
3512½	122
3514	104A/122
L3514	104A
3514½	122
3516	122
3516½	122
3608	160E
3608-B	160E
3610	160E
3610-B	160E
3612	160E
3612-B	160E
3614	160E
3614-B	160E
3616	160E
3616-B	160E
3700	73
3700-C	73
3706	121
3708	121
3710	121
3712	121
3714	121
3722	73
3722-C	73
4001	4A
4011	60A/61B
4018	62
4018-G	62
4021	10B/4B
4022	62
4022-G	62
4023	4B
4025	4B
4031	10B/4C
4033	4C
4035	4A
4100	230
4200	230
4412	29A
4412-2	29A
4416	76
4418	76
4420	76
4420-A	76
4426	76
4428	76
4430	76
4430-A	76
4516	80
4518	80
4526	80
4528	80
4616	78
4618	78
4626	78
4628	78
5001	10A
5023	10C
5025	10B
5033	10C
5035	10A
5401	13C
5421	13B
5423	13C
5425	13B
5431	13C
5433	13B
5435	13A
5441	13A/33
5441-D	33
5441-S	33
5442	34
5442-D	34
5442-S	34
5443	35
5443-D	35
5443-S	35
5444	26
5444-D	26
5444-S	26
5447	36
FL5447	36
SL5447	36
5448	36
SL5448	36
5449	25
5449-2	25
5450	24
5460	25
5510-D	204
5701	6-A/7A
5712-1	6A
5712-2	6A
5716-1	6
5716-2	6
5721-1	6-B/7-A/24
5721-2	6-B/24-11C
5722-1	6B/24
5722-2	6B/24
5726-1	6A
5726-2	6B
6011	68A
6012	68
6014	68
6016	68
6018	68
6020	68
6021	68A
6022	68A
6024	68A
6026	68A
6028	68A
6030	68A
6108	160B
6108-L	46/160B
6112	160B
G6112	160F
6112-L	160B
6114	160B
G6114	160F
6114-L	160B
6116	160B
G6116	160F
6116-L	160B
6118	160B
G6118	160F
6208	160C
6208-B	160E
6208-E	160C
6208-L	46/160C
6208-EL	46/160C
6212	160C
6212-B	160E
6212-E	160C
6212-L	160C
6212-EL	160C
6214	160C
6214-B	160E
6214-E	160C
6214-L	160C
6214-EL	160C
6216	160C
6216-B	160E
6216-E	160C
6216-L	160C
6216-EL	160C
6308	159A
6308-E	159A
6308-EL	46/159A
6308-EM	159A
6308-L	46/159A
6308-M	159A
6309-E	159B
6312	159A
6312-E	159AB
6312-EL	159A
6312-EM	159A
6312-L	159A
6312-M	159A
6314	159A
6314-E	159A
6314-EL	159A
6314-EM	159A
6314-L	159A
6314-M	159A
6315-G	159B
6315-M	159B
6316	159A
6316-E	159A
6316-EL	159A
6316-EM	159A
6316-L	159A
6316-M	159A
6319-G	159B
6319-M	159B
6711	21B
6716	21B
6721	21C/68A
6726	21C
6731	21A
6741	21A
7001	232
7002	232
7003	232
7006	232
7007	232
7008	232
7009	232
7018	69
7020	69
7711	23
7716	23
8166	66
8608	165
8609	165
8610	165
8612	165
8614	165
8616	165
8618	165
8620	165
8701	6B/11A
8716-1	6C
8716-2	6C
9011	64A
9014	64
9016	64
9019	64
9024	64A
9026	64A
9029	64A
9030	64
9044	64A
9046	64A
9049	64A
9050	20
9050½	20A
9400	12B
9401	12C
9411	63A
9412	63
9414	63
9416	63
9418	63
9421	12B
9422	63A
9423	12C
9424	63A
9425	12B
9426	63A
9428	63A
9431	12A
9433	12A
9435	12C
9441	12B/31/63A
9441-D	31
9441-S	31
9711	22A
9716	22A
9721	22C
9726	22C
9731	22B
9741	22B

"Woodbury" Line

Choice of Finishes:
Copper Bronze and Chrome
or
Natural Bronze
with
Gold Iridescent Glassware

No. 1035 [5 Lights]

Length Overall	42 inches
Spread	18 inches

For 5 light fixtures wired with 3 circuit turn button switch in bottom centre, add **$1.50** List

For extra lengths of chain on pendant fixtures, add **45c** List per foot or fraction of a foot



No. 1001 [1 Light Bracket]

Backplate .....5 x 5 inches
Extension from wall..... 7 inches
[with Canopy Turn Button Switch]

Standard Package ..... 2 pieces

Listed under Label Service of Underwriters' Laboratories, Inc.

"Woodbury" Line



Choice of Finishes:
Copper Bronze and Chrome
or
Natural Bronze
with
Gold Iridescent Glassware

No. 1025 [5 Lights]

Length Overall .....16 inches
Spread .....18 inches

For 5 light fixtures wired with 3 circuit turn button switch in bottom centre, add **$1.50** List

When ordering please give fixture number and finish required



No. 1023 [3 Lights]

Length Overall .....15 inches
Spread .....15 inches

Listed under Label Service of Underwriters' Laboratories, Inc.

"Woodbury" Line

No. 1008 [1 Light]

Diameter of Metal Ring	7¼	inches
Overall depth	4½	inches
Glassware	6¾	inches

No. 1010 [1 Light]

Diameter of Metal Ring	7¼	inches
Overall depth	6	inches
Glassware	8½	inches

Standard Package ..... 2 pieces

When ordering please give fixture number and finish required

Choice of Finishes:

Copper Bronze and Chrome
or
Natural Bronze
with
Gold Iridescent Glassware

No. 1033 [3 Lights]

Length Overall	42	inches
Spread	15	inches

Listed under Label Service of Underwriters' Laboratories, Inc.

"Melrose" Line

No. 2035 [5 Lights]

Length Overall ..... 42 inches
Spread ..... 20 inches

For 5 light fixtures wired with 3 circuit turn button switch in bottom centre, add **$1.50** List

Choice of Finishes:

Polished Chrome and Blue
with
Pearl Iridescent Glassware
or
Copper Bronze and Chrome
with
Gold Iridescent Glassware

For extra lengths of chain on pendant fixtures add **45c** List per foot or fraction of a foot



No. 2001 [1 Light Bracket]

Backplate ....4½ x 4½ inches
Extension from wall..... 8 inches
[with Canopy Turn Button Switch]

Standard Package ..... 2 pieces

Listed under Label Service of Underwriters' Laboratories, Inc

"Melrose" Line

Choice of Finishes:
Polished Chrome and Blue
with
Pearl Iridescent Glassware
or
Copper Bronze and Chrome
with
Gold Iridescent Glassware

No. 2025 [5 Lights]

Length Overall .....16 inches
Spread .....20 inches

For 5 light fixtures wired with 3 circuit turn button switch in bottom centre, add **$1.50** List

When ordering please give fixture number and finish required

No. 2023 [3 Lights]

Length Overall .....15 inches
Spread .....17 inches

Listed under Label Service of Underwriters' Laboratories, Inc.

"Melrose" Line

When ordering please give fixture number and finish required



No. 2021 [1 Light]

Length Overall .....12 inches
Width ..... 9 inches

Choice of Finishes:

Polished Chrome and Blue
with
Pearl Iridescent Glassware
or
Copper Bronze and Chrome
with
Gold Iridescent Glassware

No. 2033 [3 Lights]

Length Overall .....42 inches
Spread .....17 inches

Listed under Label Service of Underwriters' Laboratories, Inc.

"Chester" Line



Finish
Colonial Brass
with
Crystal Frosted Cut Shades
(as illustrated)

No. 4035 (5 Lights)
Length Overall.....42 inches
Spread.....20 inches
For 5 Light fixtures wired with 3 circuit turn button switch in bottom centre, add **$2.25** List.

For extra lengths of chain, add **45c** list per foot or fraction of a foot.



No. 4001 (1 Light Bracket)
Backplate.....4½ x 4½ inches
Extension from wall 6½ inches
(With Canopy Turn Button Switch)
Standard Package ..2 Pieces

Listed under Label Service of Underwriters' Laboratories, Inc.

"Chester" Line



No. 4025 [5 Lights]

Length Overall . . . . . 19 inches
Spread . . . . . 20 inches

For 5 Light fixtures wired with 3 circuit turn button switch in bottom centre, add **$2.25** List.

No. 4021 [1 Light]

Length Overall . . . . 17 inches
Spread . . . . . 7½ inches

When ordering please give number and finish of fixture required.

No. 4023 [3 Lights]

Length Overall . . . . . 17 inches
Spread . . . . . 16 inches

Listed under Label Service of Underwriters' Laboratories, Inc.

"Chester" Line

No. 4031 (1 Light)
Length Overall....42 inches
Spread.....7½ inches

When ordering please give number and finish of fixture required.

Finish
Colonial Brass
with
Crystal Frosted Cut Shades
(as illustrated)

No. 4033 (3 Lights)
Length Overall.....42 inches
Spread.....16 inches

Listed under Label Service of Underwriters' Laboratories, Inc.

"Swarthmore" Line

No. 3035 [5 Lights]

Length Overall .....42 inches
Spread .....18 inches

When ordering please give fixture number and finish required

Finish:
IVORY and GOLD
with
Gold Iridescent Glassware

All 5 Light Fixtures are furnished wired with 3 circut turn button switch in bottom centre, unless otherwise specified

Listed under Label Service of Underwriters' Laboratories, Inc.

"Swarthmore" Line



No. 3025 [5 Lights]

Length Overall ..... 17 inches
Spread ..... 18 inche



No. 3001 [1 Light Bracket]

Backplate ..... 7 x 4¼ inches
Extension ..... 6½ inche
[with Canopy Turn Button Switch]

Standard Package ..... 2 pieces



No. 3023 [3 Lights]

Length Overall ..... 15 inches
Spread ..... 15 inches

No. 3033 [3 Lights]

Length Overall ..... 42 inches
Spread ..... 15 inches

When ordering please give fixture number and finish required

Listed under Label Service of Underwriters' Laboratories, Inc.

"Bellaire"

Residential Lighting Fixtures

All fixtures are wired complete with approved wiring materials.

No. 5716-1 [3 Lights]

Overall length .....42 inches
Diameter of Bowl.....16 inches

Finish: Polished Chrome with Pearlustre Glass

For extra chain add 45 cents list per foot or fraction of a foot.

No. 5716-2 [3 Lights]

Overall length .....42 inches
Diameter of Bowl.....16 inches

Finish: Copper Bronze with Ivory and Tan Glass

Listed under Label Service of Underwriters' Laboratories

"Bellaire"

No. 5712-1 [2 Lights]
Overall length .....42 inches
Diameter of Bowl.....12½ inches
Finish: Polished Chrome with Pearlustre Glass

No. 5712-2 [2 Lights]
Overall length .....42 inches
Diameter of Bowl.....12½ inches
Finish: Copper Bronze with Ivory and Tan Glass

No. 5726-1 [3 Lights]
Overall length .....14 inches
Diameter of Bowl.....16 inches
Finish: Polished Chrome with Pearlustre Glass

No. 5701 [1 Light Bracket]
Backplate Diameter .....5⅜ inches
Extension .....8 inches
Finish: Polished Chrome with Pearlustre Glass
[With Canopy Turn Switch]

/hen ordering, please mention Number and Finish.

"Bellaire"

No. 5722-2 [2 Lights]

[illegible] 12 [illegible]
[illegible] Bowl 12½ inches

Finish: Copper B[illegible]
Ivory and Tan Glass

No. 5721-1 [1 Light]

[illegible]
[illegible] Bowl 7 [illegible]

Finish: [illegible] Chrome
[illegible] Glass

Packed 4 [illegible] Standard Carton

No. 5722-1 [2 Lights]

Overall length . . . . . 12 inches
Diameter of Bowl . . 12½ inches

Finish: Polished Chrome with
Pearlustre Glass

No. 8701 [1 Light Bracket

[illegible] 5 [illegible]
[illegible] 7¾ [illegible]

Finish: [illegible]per Bronze with Nugold Gla[illegible]
[illegible] With Canopy Turn [illegible]
[illegible] Standard Carton



No. 5726-2 [3 Lights]

[illegible] 14 [illegible]
[illegible] Bowl 16 inches

Finish: Copper Bronze with
Ivory and Tan Glass

No. 5721-2 [1 Light]

Overall length . . 8¾ inch
Diameter of Bowl 6½ inch

Finish: Copper Bronze
with Ivory and Tan Glass

Packed 4 to a Standard Cart

When ordering, please mention Number and Finis

"Bellaire"

Residential Lighting Fixtures

All fixtures are wired complete with approved wiring material.

No. 8716-1 [3 Lights]

Overall length .....42 inches
Diameter of Bowl.....16 inches

Finish: Polished Chrome with Pearlustre Glass

No. 8716-2 [3 Lights]

Overall length .....42 inches
Diameter of Bowl .....16 inches

Finish: Copper Bronze with Ivory and Tan Glass

For extra chain add 45 cents per foot or fraction of a foot. When ordering, please mention Number and Finish required.

Listed under Label Service of Underwriters' Laboratories

"Rittenhouse"

No. 435 [5 Lights]

Length Overall .....42 inches
Spread .....20 inches

For 5 Light fixtures wired with 3 circuit turn button switch, in bottom centre, add $1.50 List.

For extra length of chain, add 45c list per foot or fraction of a foot.

No. 5721-1 [1 Light]

Length Overall .....8¾ inches
Diameter of Glass..... 6½ inches

Finishes:
Copper Bronze and Chrome with Nugold Glassware.
Polished Chrome with Pearlustre Glassware.

No. 5701 [1 Light]

Backplate .....5⅜ inches
Extension from Wall.....8 inches
[With Canopy Turn Button Switch]
Standard Package.....2 Pieces

Listed under Label Service of Underwriters' Laboratories

"Rittenhouse"



No. 425 [5 Lights]

Length Overall .....12 inches
Spread .....20 inches

No. 421 [1 Light]

Length Overall .....16 inches
Spread .....7½ inches



No. 423 [3 Lights]

Length Overall .....11 inches
Spread .....17 inches

When ordering, please give Fixture Number and Finish required.

Listed under Label Service of Underwriters' Laboratories

"Rittenhouse"



Finishes:
Copper Bronze with Nugold Glassware.
Polished Chrome with Pearlustre Glassware.

No. 431 [1 Light]

Length Overall ..... 42 inches
Spread ..... 7½ inches

No. 433 [3 Lights]

Length Overall ..... 42 inches
Spread ..... 17 inches

When ordering please give Number and Finish required.

Listed under Label Service of Underwriters' Laboratories

"Jefferson" Line

Choice of Finishes

Antique Bronze and Chrome with Pearl Iridescent Glassware.
Carat Gold with Gold Iridescent Glassware.

No. 1835 [5 Lights]
Length Overall.....42 inches
Spread.....18 inches

No. 1801 [1 Light]
Backplate.....4¾ x 4¾ inches
Extension from wall...6½ inches
[With Canopy Turn Switch]

For extra lengths of chain on pendant fixtures, add **45c** List per foot or fraction of a foot.

Listed under Label Service of Underwriters' Laboratories, Inc.

"Jefferson" Line

No. 1825 [5 Lights]
Length Overall.....14 inches
Spread.....18 inches



No. 1821 [1 Light]
Length Overall.....15 inches
Spread.....7½ inches

When ordering please give number and finish required.

No. 1823 [3 Lights]
Length Overall.....12 inches
Spread .. ..14½ inches

Listed under Label Service of Underwriters' Laboratories, Inc.

"Jefferson" Line

No. 1831 [1 Light]
Length Overall.....42 inches
Spread.....7½ inches

Choice of Finishes

Antique Bronze & Chrome with Pearl Iridescent Glassware.
Carat Gold with Gold Iridescent Glassware

When ordering please give number and finish required.

No. 1833 [3 Lights]
Length Overall.....42 inches
Spread.....14½ inches

Listed under Label Service of Underwriters' Laboratories, Inc.

"Belvedere"

Fixture:
Carat Gold
Copper Bronze and Chrome
Glassware:
Champagne colored, with
Transparent Gold etching

No. 2135 [5 Lights]

Length Overall .....42 inches
Spread .....21 inches

For 5 Light fixtures with 3 circuit turn button switch in bottom centre, add **$1.50** List.

For extra lengths of chain on pendant fixtures, add **45c** List per foot or fraction of a foot.

No. 2101 [1 Light Bracket]

Backplate Diam. .....5¼ inches
Extension .....7½ inches
with Canopy Turn Button Switch
Standard Package .....2 pieces

Listed under Label Service of Underwriters' Laboratories, Inc.

"Belvedere"



No. 2125 [5 Lights]

Length Overall 15 inches
Spread [illegible] inches

No. 2121 [1 Light]

Length Overall .....16 inches
Spread . . . . . 7½ inches



No. 2123 [3 Lights]

Length Overall 13 inches
Spread 15 inches

When ordering, please give fixture number and finish required.

Listed under Label Service of Underwriters' Laboratories, Inc.

"Belvedere"

Fixtures:
Carat Gold
Copper Bronze and Chrome
Glassware:
Champagne colored with
Transparent Gold etching

No. 2133 [3 Lights]
Length Overall .....42 inches
Spread .....15 inches

For extra lengths of chain on pendant fixtures, add **45c** List per foot or fraction of a foot.

When ordering, please give fixture Number and Finish required.

No. 2131 [1 Light]
Length Overall .....42 inches
Spread .....7½ inches

Listed under Label Service of Underwriters' Laboratories, Inc.

"Greenwood" Line



No. 5035 [5 Lights]

Length Overall .....42 inches
Spread .....18 inches

For 5 Light fixtures wired with 3 circuit turn switch in bottom centre, add $1.50 List.

For extra lengths of chain, add 45c list per foot or fraction of a foot.

Finishes:
Colonial Brass or
Polished Chrome



No. 5001 [1 Light Bracket]

Backplate Diam. .....4¼ inches
Extension from Wall.....5½ inches
[With Canopy Turn Switch]

When ordering, please give fixture number and finish required.

Listed under Label Service of Underwriters' Laboratories

"Greenwood" Line

No. 5025 [5 Lights]

Length Overall 14 inches
Spread 16 inches

No. 4031 [1 Light]

Length Overall .....42 inches
Spread ..... 7½ inches

No. 4021 [1 Light]

Length Overall .....17 inches
Spread ..... 7½ inches

Listed under Label Service of Underwriters' Laboratories

"Greenwood"



No. 5023 [3 Lights]

Length Overall ....13 inches
Spread .....14 inches

For extra chain add 45c list per foot or fraction of a foot.

No. 5033 [3 Lights]

Length Overall	42 inches
Spread	14 inches

Finishes:
Colonial Brass
Polished Chrome

When ordering, please give fixture number and finish required.

Listed under Label Service of Underwriters' Laboratories

"Kingsley"



Finish:
Stained Bronze and Chrome with Ivory and Tan Glassware.

When ordering please give fixture number and finish required

No. 1335 [5 Lights]

Length Overall .....42 inches
Spread .....19 inches

For 5 Light fixtures wired with 3 circuit switch in bottom centre, add $1.50 List.



No. 8701 [1 Light Bracket]

Backplate .....5 inches
Extension .....7¾ inches

[With Canopy Turn Switch]

Listed under Label Service of Underwriters' Laboratories

"Kingsley"

No. 1325 [5 Lights]

Length Overall	17 inches
Spread	19 inches



No. 1323 [3 Lights]

Length Overall	16 inches
Spread	14 inches

No. 1331 [1 Light]

Length Overall	42 inches
Spread	7½ inches

Listed under Label Service of Underwriters' Laboratories

"Kingsley"

No. 1333 [3 Lights]

Length Overall .....42 inches
Spread .....14 inches

No. 5721-2 [1 Light]

Length Overall	8¾ inches
Spread	6½ inches

No. 1321 [1 Light]

Length Overall	17 inches
Spread	7½ inches

Finish:
Stained Bronze and Chrome with Ivory and Tan Glassware.

•

When ordering, please give fixture number and finish required

Listed under Label Service of Underwriters' Laboratories

"Sherwood" Line

Finish

Fixtures
Copper Bronze and Chrome

Glassware
Iridescent Stippled Gold

For extra lengths of chain on pendant fixtures, add **45c** List per foot or fraction of a foot

All fixtures are furnished wired complete with approved wiring devices and heat-resisting wire

No. 9433 (3 Lights)

Length overall.....42 inches
Spread.....16 inches



No. 9431 (1 Light)

Length overall.....42 inches
Spread..... 7 inches

When ordering, please give fixture number, finish and finish of Glassware required

Listed under Label Service of Underwriters' Laboratories, Inc.

"Sherwood" Line

No. 9441 [1 Light]
Diameter.....12 inches
Length.....13 inches
[Will take up to a 100-watt lamp]
No. 9441 Can also be furnished in Bone White and Gold

No. 9400 [1 Light]

All fixtures are furnished wired complete with approved wiring devices and heat-resisting wire

Note—
Special 3-circuit switches are supplied only on No. 9435 and No. 9425, and only when requested.

No. 9421 [1 Light]
Length overall.....18 inches
Spread..... 7 inches

When ordering, please give fixture number and finish, also finish of Glassware required.

No. 9425 [5 Lights]
Length overall.....18 inches
Spread.....18 inches
For fixtures wired with 3-circuit turn switch in bottom centre, add **$1.50** list extra.

Listed under Label Service of Underwriters' Laboratories, Inc.

"Sherwood" Line

Finish

Fixtures
Copper Bronze and Chrome

Glassware
Iridescent Stippled Gold

No. 9435 [5 Lights]

Overall length.....42 inches
Spread.....18 inches
For fixtures wired with 3-circuit turn switch in bottom centre, add **$1.50** list extra.

All fixtures are furnished wired complete with approved wiring devices and heat-resisting wire



No. 9423 [3 Lights]

Overall length.....16 inches
Spread.....16 inches

No. 9401 [1 Light Wall Bracket]

Back plate.....4⅝ inches
Extension from wall.....7½ inches
[Furnished with Canopy Turn Switch]

Listed under Label Service of Underwriters' Laboratories, Inc.

"Mayfair"

When ordering, please give fixture number and finish required.



No. 5435 [5 Lights]
Overall length 42 inches—Spread 24 inches
Special 3 circuit turn switch installed in bottom center at **$1.50** list extra

No. 5441 [1 Light]

[Will take up to a 100 watt lamp]
Overall Length .....11 inches
Diameter of Bowl.....10¼ inches

Furnished in:
Bone-White and Gold
Polished Chromium

Glassware is Iridescent Opal

Choice of Finishes:

Copper Bronze and Chrome
Polished Chrome

All fixtures are furnished wired complete.

Glassware is "Nugold"
(Gold Iridescent finish)

Listed under Label Service of Underwriters' Laboratories

"Mayfair"

All fixtures are furnished wired complete.



No. 5425 [5 Lights]
Overall Length 14½ inches—Spread 24 inches
Special 3 circuit turn switch installed in bottom centre at **$1.50** list extra

No. 5433 [3 Lights]
Overall length 42 inches—Spread 15½ inches
Special 3-circuit installed in bottom centre at **$1.50** list extra

No. 5421 [1 Light]
Overall length .....11½ inches
Spread ..... 9 inches
[Cannot be furnished with switch]

For extra lengths of chain, add 45c list per foot or fraction of a foot.

Listed under Label Service of Underwriters' Laboratories

"Mayfair"

Choice of finishes:
Copper Bronze and Chrome
Polished Chrome



No. 5423 [3 Lights]

Overall length .....11½ inches
Spread .....15½ inches

No. 5431 [1 Light]

Overall length .....42 inches
Spread ..... 9 inches



No. 5401 [1 Light Bracket]

Overall length .....11½ inches
Extension from Wall.. 7 inches
[With Canopy Switch]

When ordering, please give fixture number and finish required.

"Ardmore" Line



No. 1635 [5 Lights]
Overall Length.....42 inches
Spread.....16 inches

For fixtures wired with 3 circuit turn switch in centre, add **$2.25** each list.

For extra length of chain on pendant fixtures, add **45c** list per foot or fraction of a foot.

Choice of FINISHES

Bone White and Gold with Pearl Iridescent Glassware

R-Bronze with Gold Iridescent Glassware

No. 1601 [1 Light]
Backplate.....5 inches Diam.
Extension from wall.....7 inches
[With Canopy Turn Switch]

Listed under Label Service of Underwriters' Laboratories, Inc.

"Ardmore" Line



No. 1625 [5 Lights]
Length Overall.....15 inches
Spread.....16 inches

No. 1621 [1 Light]
Length Overall.....14 inches
Spread..... 7 inches

When ordering, please mention:
Fixture Number
Finish of Fixture
Finish of Glassware

For fixtures wired with 3 circuit turn switch in centre, add **$2.25** each list.



No. 1623 [3 Lights]
Length Overall.....15 inches
Spread.....16 inches

Listed under Label Service of Underwriters' Laboratories, Inc.

"Ardmore" Line

No. 1631 [1 Light]

Length Overall.....42 inches
Spread..... 7 inches

Choice of FINISHES

Bone White and Gold
with Pearl Iridescent Glassware

R-Bronze with Gold
Iridescent Glassware



No. 1633 [3 Lights]

Length Overall.....42 inches
Spread.....16 inches

When ordering, please give:
Number of Fixtures
Finish of Fixture
Finish of Glassware

Listed under Label Service of Underwriters' Laboratories, Inc

Dining Room, Dinette and Sun Parlor Fixtures

in Bone White and Gold

or Copper Bronze and Chrome

with

Ivory Decorated Glassware



No. 180 [3 Lights]

Length Overall 42 inches
Diameter of Bowl.....18 inches

No. 140 [3 Lights]

Length Overall .....42 inches
Diameter of Bowl..... 14 inches

Listed under Label Service of Underwriters' Laboratories, Inc.

Dining Room Luminaires

When ordering, please give fixture number and finish, also type and finish of Glassware required.

No. 1050 [3 Lights]

Overall Length .....42 inches
Diameter of Bowl.....16½ inches

Finish of Fixture

CHROME & BLUE
with
PEARL IRIDESCENT GLASS

COPPER BRONZE
with
TAN GLASS with CRYSTAL HIGHLIGHTS

For extra lengths of chain, add **45c** list per foot or fraction of a foot.

No. 9050 [3 Lights]

Overall Length .....42 inches
Diameter of Bowl.....16½ inches

Finish of Fixture

COPPER BRONZE & CHROME
with
TAN GLASS with CRYSTAL HIGHLIGHTS

Dining Room Luminaires

(Ceiling Types)

When ordering please give fixture number and finish required.

No. 1050½ [3 Lights]

Overall Length ....14 inches
Diameter of Bowl.....16½ inches

Finish of Fixture

CHROME & BLUE
with
PEARL IRIDESCENT GLASS

COPPER BRONZE
with
TAN GLASS with CRYSTAL HIGHLIGHTS

No. 9050½ [3 Lights]

Overall Length ..... 14 inches
Diameter of Bowl.....16½ inches

Finish of Fixture

COPPER BRONZE & CHROME
with
TAN GLASS with CRYSTAL HIGHLIGHTS

"Bellecourt"
Residential Lighting Fixtures

No. 6741 [1 Light]

Overall length.....13 inches
Diam. of Bowl.....12 inches

Wired with medium base socket for lamps up to 150 watts.

Metal Finishes
Carat Gold
Bone White and Gold

Finish of Glassware
Stippled Iridescent Gold

Carat Gold is a beautiful rich gilt finish, which looks very much like real gold plate.

No. 6731 [1 Light]

Overall length.....42 inches
Spread..... 9 inches

Wired with medium base socket.

For extra chain add **45** cents list per foot or fraction of a foot

Listed under Label Service of Underwriters' Laboratories, Inc.

"Bellecourt"
Residential Lighting Fixtures

All fixtures are wired complete with approved wiring devices and heat-resisting wire.

No. 6716 [1 Light]

Overall length.....42 inches
Diameter of Bowl.....16 inches

Wired with medium base socket for lamps up to 300 watts.

For extra chain add **45** cents list per foot or fraction of a foot

No. 6711 [1 Light]

Overall length.....12 inches
Width..... 8 inches

Wired with medium base socket

[Add **45c** list for canopy turn switch.]

Listed under Label Service of Underwriters' Laboratories, Inc.

"Bellecourt"
Residential Lighting Fixtures

No. 6726 [1 Light]

Overall length.....21 inches
Diam. of Bowl.....16 inches

Wired with medium base socket for lamps up to 300 watt.

When ordering, please give fixture number and finish required

FINISHES

Carat Gold
Bone White and Gold
Glassware—Iridescent
Stippled Gold

Carat Gold is a beautiful rich gilt finish, which looks very much like real gold plate.



No. **6721** [1 Light]

Overall length.....14 inches
Spread..... 9 inches

Wired with medium base socket

Listed under Label Service of Underwriters' Laboratories, Inc.

"Belleville"
Residential Lighting Fixtures

No. 9716 [1 Light]

Overall length .....42 inches
Diameter of Bowl.....16 inches

Wired with medium base socket for lamps up to 300 watts.

For extra chain add **45** cents list per foot or fraction of a foot

Finishes of fixtures
Carat Gold
Bone White and Gold

Glassware
Iridescent Stippled Gold

Carat Gold is a beautiful rich gilt finish, which looks very much like real gold plate.

No. 9711 [1 Light]

Overall length.....12 inches
Width ..... 8 inches

Wired with medium base socket

[Add **45c** list for canopy turn switch.]

Listed under Label Service of Underwriters' Laboratories, Inc.

"Belleville"
Residential Lighting Fixtures

No. 9741 [1 Light]

Overall length . . . . . 12 inches
Diameter of Bowl . . . . . 13 inches

Wired with medium base socket for lamps up to 150 watts.

All fixtures are wired complete with approved wiring devices and heat-resisting wire

When ordering, please give fixture number and finisl required

No. 9731 [1 Light]

Overall length . . . . . 42 inches
Diameter of Bowl . . . . . 8¼ inches

Wired with medium base socket for lamps up to 150 watts.

For extra chain add **45** cents list per foot or fraction of a foot

Listed under Label Service of Underwriters' Laboratories, Inc.

"Belleville"
Residential Lighting Fixtures

No. 9726 [1 Light]

Overall length .....21 inches
Diameter of Bowl.....16 inches

Wired with medium base socket for lamps up to 300 watts.

Metal Finishes
Carat Gold
Bone White and Gold

Finish of Glassware
Stippled Iridescent Gold

Carat Gold is a beautiful rich gilt finish, which looks very much like real gold plate.

When ordering, please give fixture number and finish required

No. 9721 [1 Light]

Overall length .....17 inches
Diameter of Bowl.....8¼ inches

Wired with medium base socket

Listed under Label Service of Underwriters' Laboratories, Inc.

"Bellefont"

Residential Semi-Indirect Lighting Fixtures



No. 7716 [3 Lights]

Length.....42 inches Spread.....17 inches

Finishes:
Copper Bronze & Chrome with
Blue & White Decoration on Glassware.

Stained Bronze with
Brown & Ivory Decoration on Glassware.

For extra lengths of chain on pendant fixtures, add 45c List per foot or fraction of a foot.



Front View

*No. 7711 [1 Light Wall Bracket]

Overall length.....11½ inches

Diameter of Glass.....7 inches

[With Turn Switch]

For use with one 30 watt lamp.

*Note: This is an "Edgelite" type of Bracket. The light which is hidden in the bracket filters through the edge of the glass disc, and produces a very novel and beautiful effect.

When ordering, please mention number and finish required.

Listed under Label Service of Underwriters' Laboratories, Inc.

Novel Ceiling Units

for

Bedroom — Sun Parlor — Dinette

No. 5722-1 [2 Lights]
Length Overall .....12 inches
Diameter of Bowl .....12½ inches
Glassware Finish—Nugold or Pearlustre

No. 5722-2 [2 Lights]
Length Overall .....12 inches
Diameter of Bowl .....12½ inches
Glassware Finish—Ivory and Tan

When ordering please give fixture Number and Finish of Glassware required.

Finish of Fixtures:
Ivory
Finish of Glassware:
As shown

No. 5721-1 [1 Light]
Length Overall .....8¾ inches
Diameter of Bowl .....7 inches
Glassware Finish—Nugold or Pearlustre

No. 5450 [1 Light]
Length Overall .....11¼ inches
Diameter of Bowl.....10¼ inches
Can be supplied in a choice of colors: Ivory & Blue, Ivory & Pink, Ivory & Green, Ivory & Gold.

No. 5721-2 [1 Light]
Length Overall .....8¾ inches
Diameter of Bowl.....6½ inches
Glassware Finish—Ivory and Tan

Listed under Label Service of Underwriters' Laboratories, Inc.

Novel Ceiling Lights
for
Bedroom—Sun Parlor—Dinette

No. 5449 [1 Light]
Overall Length .....10 inches
Diameter Glass ..... 9¼ inches

No. 5449-2 [1 Light]
For Attachment to Socket
Overall Length .....8 inches
Diameter Glass .....9¼ inches

When ordering please give fixture number, also finish of glassware required.

No. 5460 [1 Light]
Overall Length .....11 inches
Diameter Glass .....10 inches

No. 5449-2 can be attached to any medium base socket without any wiring.

Fixtures are furnished only in:
IVORY

Glassware is furnished in:
GREEN, PINK, BLUE, IVORY
[All Highlighted]

Listed under Label Service of Underwriters' Laboratories, Inc.

Novel Ceiling Lights

for Bedroom, Sun Parlor and Dinette

No. 5444-S [2 Lights]
Length Overall.....13 inches
Diameter of Bowl.....12 inches

No. 5444-D [2 Lights]
Length Overall.....12 inches
Diameter of Bowl.....12 inches

When ordering please give Fixture Number and Finish, also Finish of Glassware required.

No. 5444 [1 Light]
Length Overall.....11 inches
Diameter of Bowl.....12 inches

All Fixtures are furnished Wired Complete.

Finish of Fixtures:
Ivory and Gold

Finishes of Glassware:
Pink Iridescent
Green Iridescent
Blue Iridescent
Ivory Iridescent
All Highlighted

Listed under Label Service of Underwriters' Laboratories, Inc.

Novel Ceiling Lights
for
Bedroom—Sun Parlor—Dinette

14/FL3208G [1 Light]

Overall Length ..... 10 inches
Diameter of Globe..... 8½ inches
Diameter of Glass Louvre..... 13½ inches

When ordering, please give number and finish required.

Finish of Fixture
IVORY & GOLD

Finish of Units
IRIDESCENT GOLD

Finish of Glass Louvres
IVORY with COLORED FLOWERS

No. 14/3208G [1 Light]

Overall Length ..... 9 inches
Diameter of Globe..... 8½ inches

Listed under Label Service of Underwriters' Laboratories, Inc.

Living Room, Bedroom, Sun Parlor and Breakfast Room



No 25 [5 Lights]
Length Overall.....11½ inches
Spread Overall.....16 inches



No. 22 [2 Lights]
Length Overall.....12 inches
Spread Overall.....15 inches

Choice of Finishes

Bone White and Gold with Pearl Iridescent Glassware.

Sprayed Goldlustre and Polished Gold Highlights with Gold Iridescent Glassware.

Listed under Label Service of Underwriters' Laboratories, Inc.

No. 28 A
Diameter of Fixture.....12 inches
Diameter of Glass..... 8 inches

No. 30 A
Diameter of Fixture.....14 inches
Diameter of Glass.....10 inches

No. 23 [3 Lights]
Length Overall .....12 inches
Spread Overall.....14 inches

No. 21 [1 Light Bracket]
Backplate-Diameter.....4½ inches
Extension Overall.....6¾ inches
With Canopy Turn Switch. Standard Package 2 Pieces

Ceiling Lights
for
BEDROOM . SUN PARLOR . DINETTE

Glassware furnished in Gold Iridescence.

No. 4412-Fixture furnished in Ivory.

No. 4412
Diameter - 12 inches



No. 4412-2
Diameter - 12 inches

For attachment to any standard base socket.

All fixtures furnished wired complete, ready to install. (We recommend lamp bulbs from 50 to 150 watts).

When Ordering, Please give Number desired.

Listed under Label Service of Underwriters' Laboratories, .nc.

Novel Ceiling Lights

for

BEDROOM · SUN PARLOR · DINETTE

No. C100 (1 Light)

Wired Complete
Diameter - 11½ inches
Overall Length - 9 inches
(Will take up to 100 Watt Lamp)

Choice of Finishes:—

Pastelle Green
Pastelle Pink
Pastelle Blue
Ivory

A Standard Carton contains 4 Fixtures packed in individual containers.

All 4 fixtures are one color only (assorted colors cannot be furnished).

When ordering, please specify number and finish required.

Listed under Label Service of Underwriters' Laboratories, Inc.

Novel Ceiling Lights

for

BEDROOM • SUN PARLOR • DINETTE

Requires No Wiring—Screws into a socket like lamp bulb

No. C100-2 (1 Light)
In a Standard Carton of 4 Fixtures

The fixture illustrated above has been especially constructed, with an extension socket hanger, to screw directly into any existing ceiling fixture having a standard base socket.

Requires no wiring—just screws in like an ordinary lamp bulb.

Choice of Finishes:—

Pastelle Green
Pastelle Pink
Pastelle Blue
Ivory

A Standard Carton contains 4 Fixtures packed in individual containers.

All 4 fixtures are one color only (assorted colors cannot be furnished).

When ordering, please specify fixture number and finish required.

Listed under Label Service of Underwriters' Laboratories, Inc.

Novel Ceiling Lights

for Bedroom, Sun Parlor and Dinette



No. 9441-S [1 Light]
Length Overall .....13 inches
Diameter of Bowl.....12 inches

No. 9441-D [2 Lights
Length Overall.....13 inches
Diameter of Bowl.....12 inches

When ordering, please give Fixture Number and Finish, also Finish of Glassware required.

No. 9441 [1 Light]
Length Overall.....12 inches
Diameter of Bowl.....12 inches

All Fixtures are furnished Wired Complete.

Finishes of Fixtures:
Ivory and Gold
Copper-Bronze
and Chrome

Finishes of Glassware:
Pearl Iridescent
Gold Iridescent

Listed under Label Service of Underwriters' Laboratories, Inc.

Novel Ceiling Lights

for Bedroom, Sun Parlor and Dinette

No. 5441-S [2 Lights]
Length Overall.....13 inches
Diameter of Bowl.....10¼ inches

No. 5441-D [2 Lights]
Length Overall.....12 inches
Diameter of Bowl.....10¼ inches

When ordering, please give Fixture Number and Finish, also Finish of Glassware required.

All Fixtures are furnished Wired Complete.

Finishes of Fixtures:
Ivory and Gold
Copper Bronze
Polished Chrome

No. 5441 [1 Light]
Length Overall..... .11 inches
Diameter of Bowl..... .10¼ inches

Finishes of Glassware:
Gold Iridescent
Pearl Iridescent

Listed under Label Service of Underwriters' Laboratories, Inc.

Novel Ceiling Lights

for Bedroom, Sun Parlor and Dinette

No. 5442-S [2 Lights]
Length Overall.....13 inches
Diameter of Bowl.....10¼ inches

No. 5442-D [2 Lights]
Length Overall.....12 inches
Diameter of Bowl.....10¼ inches

When ordering, please give Fixture Number and Finish, also Finish of Glassware required.

No. 5442 [1 Light]
Length Overall.....11 inches
Diameter of Bowl.....10¼ inches

All Fixtures are furnished Wired Complete.

Finishes of Fixtures:
Ivory and Gold
Copper Bronze
Polished Chrome

Finishes of Glassware:
Gold Iridescent
Pearl Iridescent

Listed under Label Service of Underwriters' Laboratories, Inc.

Novel Ceiling Lights

for Bedroom, Sun Parlor and Dinette

No. 5443-S [2 Lights]
Length Overall.....13 inches
Diameter of Bowl.....10¼ inches

No. 5443-D [2 Lights]
Length Overall.....12 inches
Diameter of Bowl.....10¼ inches

When ordering, please give Fixture Number and Finish, also Finish of Glassware required.

No. 5443 [1 Light]
Length Overall.....11 inches
Diameter of Bowl.....10¼ inches

All Fixtures are furnished Wired Complete.

Finishes of Fixtures:
Ivory and Gold
Copper Bronze
Polished Chrome

Finishes of Glassware:
Gold Iridescent
Pearl Iridescent

Listed under Label Service of Underwriters' Laboratories, Inc.

Novel Ceiling Lights

for Bedroom Dinette, Sun Parlor and Kitchen

When ordering, please give Fixture and Glass Numbers, also Finish of Fixture and Color of Louvre Stripes

No. 14-FL5447 [7" x 4" Ball]
Diameter of Louvre.....12¼ inches
Overall Length..... 8½ inches

Finish of Fixtures
IVORY and GOLD

Finish of Glass Balls
GOLD IRIDESCENT on bottom half and Opal above Louvre.

Note: Fixture only is
No. 14

Glass Ball and Louvre is
FL-5447

Glass Ball only is **No. 5447** Nugold.

Fixtures are furnished wired complete.

Finish of Glass Balls HYPERION OPAL only

No. 808-SL5448 [8" Ball]
Diameter of Glass Louvre.....13½ inches
Overall Length.....13 inches

No. 807-SL5447 [7" Ball]
Diameter of Glass Louvre.....12¼ inches
Overall Length.....12 inches

Finishes of Fixtures
POLISHED CHROME or COPPER BRONZE

Finish of Louvre Discs
OPAL with Stripes in GREEN, RED, BLACK or CLEAR CRYSTAL

When Glassware only is ordered the numbers are listed as follows:
Opal Ball with Striped Louvre is
SL-5447..7"
SL-5448..8"
Opal Ball only
No. 5447 [7" x 4" Fitter]
No. 5448 [8" x 4" Fitter]

Listed under Label Service of Underwriters' Laboratories, Inc.

Kitchen and Bathroom Units

With and Without Glass Louvres

No. 1306G [Enameled]
With Flat Glass Disc—10" Diameter
Size of Unit only—6" x 6" x 4" Fitter
Packed 4 to a Standard Carton

No. 1308G [Enameled]
With Flat Glass Disc—12" Diameter
Size of Unit only—7½" x 6¾" x 4" Fitter
Packed 4 to a Standard Carton



No. 3206EL [Enameled]
No. 3206L [Hyperion]
With Flat Glass Disc—10" Diameter
Size of Unit only—6½" x 5¾" x 4" Fitter

No. 3208EL [Enameled]
No. 3208L [Hyperion]
With Flat Glass Disc—12" Diameter
Size of Unit only—8½" x 7⅛" x 4" Fitter
Packed 4 to a Standard Package

No. 6308EL [Enameled]
No. 6308L [Hyperion]
With Flat Glass Disc—12" Diameter
Size of Unit only—8x6¾x4" Fitter
Packed 4 to a Standard Carton

No. 6108L [Hyperion Only]
With Flat Glass Disc—12" Diameter
Size of Unit only—8½" x 6" x 4" Fitter
Packed 4 to a Standard Carton

No. 6208EL [Enameled]
No. 6208L [Hyperion]
With Flat Glass Disc—12" Diameter
Size of Unit only—7¼" x 7¾" x 4" Fitter
Packed 4 to a Standard Carton

When ordering, please specify Number and Finish.

Listed under Label Service of Underwriters' Laboratories, Inc.

Series 1300

Semi-Indirect Units for Kitchens and Bathrooms

No. 12/1306G
With Flat Glass Disc—10" Diameter
Size of Unit only—6" x 6" x 4" Fitter
Packed 4 to a Standard Carton

No. 12/1308G
With Flat Glass Disc—12" Diameter
Size of Unit only—7½" x 6¾" x 4" Fitter
Packed 4 to a Standard Carton



No. 1306G
With Flat Glass Disc—10" Diameter
Size of Unit only—6" x 6" x 4" Fitter
Packed 4 to a Standard Carton

No. 1308G
With Flat Glass Disc—12" Diameter
Size of Unit only—7½" x 6¾" x 4" Fitter
Packed 4 to a Standard Carton

No. 12. Ceiling holders are furnished in Polished Chrome—wired complete with porcelain socket and strap.

No. 1306. Unit only
Dimensions—6" x 6" x 4" Fitter
Packed 12 to a Standard Carton

No. 1308. Unit only
Dimensions—7½" x 6¾" x 4" Fitter
Packed 12 to a Standard Carton

Units are furnished white "Enameled," with ribbed bottoms and sides in crystal.

Glass Flat Louvres are supplied White "Enameled" with clear crystal stripes.

Louvre Units

for Kitchen, Breakfast Nook and Bathroom



12/L-497
Diameter of Glass Louvre—12 inches
Dimensions of Unit—7½" x 7⅛" x 4"
[Packed 4 to a Carton.]

Holders furnished in Polished Chrome



12/L-498
Diameter of Glass Louvre—12 inches
Dimensions of Unit—7½" x 7¼" x 4"
[Packed 4 to a Carton.]

Choice of Colors
Glass Louvres

Opal—Green Stripe
Opal—Red Stripe
Opal—Black Stripe
Opal—Clear Stripe

L-497
Diameter of Glass Louvre—12 inches
Dimensions of Unit—7½" x 7⅛" x 4"
[Packed 4 to a Carton.]



L-498
Diameter of Glass Louvre—12 inches
Dimensions of Unit—7½" x 7¼" x 4"
[Packed 4 to a Carton.]

497
Dimensions of Unit—7½" x 7⅛" x 4"
[Packed 12 to a Carton.]

498
Dimensions of Unit—7½" x 7¼" x 4"
Packed 12 to a Carton.]

Assorted Louvre finishes cannot be supplied in one standard carton.

Novel Units

for Kitchen and Bathroom

(Metal Holders in Chromalustre or Chrome)



No. 12/296.
Weight Standard Package—24 Lbs.

No. 12/299.
Weight Standard Package—33 Lbs.

CHROMALUSTRE is an applied silver grey finish simulating a Satin Aluminum effect.

No. 12/294.
Weight Standard Package—21 Lbs.

No. 12/295.
Weight Standard Package—23 Lbs.

Metal Holders will not be furnished without glassware.

NOTE

Metal holders are furnished wired only with Keyless Medium Base sockets, complete with cross-bar, screws and nuts.

With colored stripes in Green, Black or Red

(Please mention color required)



No. 296—7" x 4¾" x 4" Fitter
Weight Standard Package—18 Lbs.

No. 299—8½" x 5¾" x 4" Fitter.
Weight Standard Package—27 Lbs.

No. 294—6¾" x 4½" x 4".
Weight Standard Package—15 Lbs.

No. 295—8½" x 6" x 4".
Weight Standard Package—17 Lbs.



No. 296C—7" x 4¾" x 4" Fitter.
Weight Standard Package—18 Lbs.

No. 299C—8½" x 5¾" x 4" Fitter.
Weight Standard Package—27 Lbs.

Standard package of all items is 12 Pieces.

Listed under Label Service of Underwriters' Laboratories, Inc.

Kitchen and Bathroom Lights

With Hyperion Glass
B 155
ed Complete with Convenience Outlet
plate .....6 x 3¼ inches
B 155½
Without Convenience Outlet
Complete with Turn Button Switch)
Packed 4 to a Standard Carton

With Velva Glass



No. 143A [2 Lights]
Backplate .....6½ x 3¾ inches
Width of Glass Shade..12¾ inches
Extension from Wall.... 6¼ inches
[With or Without Convenience Outlet]
Packed 2 to a Standard Carton
[Can be supplied with Pull Chain Switch at 60c list extra.]

Please mention fixture number required.

Advise if Convenience Outlet is desired.

All Brackets are furnished in Polished Chrome, and wired complete.

With Velva Glass

No. 142A [1 Light]
Backplate .....6½ x 3¾ inches
Extension from Wall.....6¼ inches
[With or Without Convenience Outlet]
Packed 4 to a Standard Carton
[Can be supplied with Turn Button Switch at 45c list extra.]

With "Enameled" Glass



B144 [1 Light]
Backplate .....5½ inches Diamater
Extension from Wall.....8 inches
Fitter .....3¼ inches
[No Convenience Outlet]
Packed 4 in a Carton

With "Enameled" Glass



B145-G4 [1 Light]
Backplate .....9 x 3 inches
Extension from Wall.....6 inches
With Turn Button Switch
[With or Without Convenience Outlet]
Packed 4 to a Standard Carton

With "Enameled" Glass



B146-G4 [1 Light]
Backplate .....6¼ x 3¾ inches
Extension from Wall.....6 inches
With Turn Button Switch
[No Convenience Outlet]
Packed 4 to a Standard Carton

With "Enameled" Glass



B147-G4 [1 Light]
Backplate .....6 x 6 inches
Extension from Wall.....6 inches
With Turn Button Switch
[No Convenience Outlet]
Packed 4 to a Standard Carton

Listed under Label Service of Underwriters' Laboratories, Inc.

Bathroom and Kitchen

Wall Brackets



B.150 [1 Light]
Wired Complete with Pull Switch
Diameter of Glass Cylinder.....2⅞ inches
Overall length of Bracket.....12 inches

Finish:
Polished Chrome

Glassware:
White "Hyperion"

Note: The B.150 Wall Bracket can be installed in both positions as illustrated.

The glass cylinder can be turned, so that the opening faces any position desired.

Ideal for shaving.



B.150 [1 Light]
Wired Complete with Pull Switch

Listed under Label Service of Underwriters' Laboratories Inc

Series F-200

for Stores, Offices, Showrooms, Etc.

Can be used with Inside Frosted or Silvered Bowl Lamps

Semi-Indirect

No. F-216-G [16" Diameter]
Recommended Wattage.....200 watts
Wired Complete with Porcelain Medium Base Socket.
Overall Length.....30 inches

No. F-218-G [18" Diameter]
Recommended Wattage.....300–500 watts
Wired Complete with Porcelain Mogul Socket.
Overall Length.....33 inches

Fixtures are furnished in Polished or Satin Finished [Dull] CHROME.

Glassware is Opal with Semi-Clear Etched Decoration.

Inside Hemispherical Metal Reflector is finished in Polished Chrome.

Totally Indirect



No. F-216 [16" Diameter]
Recommended Wattage.....200 watts
Wired Complete with Porcelain Medium Base Socket.
Overall Length.....30 inches

No. F-218 [18" Diameter]
Recommended Wattage.....300–500 watts
Wired Complete with Porcelain Mogul Base Socket.
Overall Length.....33 inches

Fixtures are furnished in sprayed CHROMALUSTRE with Polished Aluminum Highlights
or
Sprayed GOLDLUSTRE with Polished Gold Highlights

Inside Large Reflector finished in White Porcelain Effect Enamel.
Inside Small Hemispherical Reflector Polished Chrome.

Listed under Label Service of Underwriters' Laboratories, Inc.

Series 3100

Semi-Indirect Lighting Units of Novel Design
for
Stores, Offices, Showrooms and Reception Rooms



No. 3116G (150-200 w)
No. 3118G (300-500 w)
No. 3123G (750-1000 w)

Bottom View of Glass lens.

For fixtures wired to take 3-Light Lamps:
Add $3.00 List for 3 circuit socket and switch.
Add $1.50 List for 3 circuit socket only—
without switch.

SPECIFICATIONS

No. 3116-G

Diameter of Reflector.....16 inches
Overall Length of Fixture.....30 Inches
Recommended Wattage.....150-200
Wired with Medium Porcelain Socket

No. 3118-G

Diameter of Reflector.....18 inches
Overall Length of Fixture.....32 inches
Recommended Wattage.....300-500
Wired with Mogul Porcelain Socket

No. 3123-G

Diameter of Reflector.....23 inches
Overall Length of Fixture.....36 inches
Recommended Wattage 750-1000
Wired with Mogul Porcelain Socket

For additional overall lengths, add 75c list per foot, or fraction of a foot.

Satin Finish Frosted Crystal glass lens will be furnished unless otherwise specified.

All metal parts of Fixtures are made of Spun Aluminum and are furnished in a choice of finishes:—

Sprayed "CHROMALUSTRE" with Polished Aluminum Highlights.

Sprayed "GOLDLUSTRE" with Polished Gold Highlights.

Inside Reflector, is Hard White Porcelain-effect Enamel.

Glass lens can also be supplied in colors—Amber, or Blue, and will only be furnished when specified on order.

Listed under Label Service of Underwriters' Laboratories, Inc.

Series 3100

Semi-Indirect Lighting Units of Novel Design
for
Stores, Offices, Showrooms and Reception Rooms

No. 3116M (150-200 w)

No. 3118M (300-500 w)
No. 3123M (750-1000 w)

For additional overall lengths, add 75c list per foot, or fraction of a foot.

Bottom view of Metal Grill showing Glass Disc behind grill.

INDIRECT LIGHTING WALL BRACKET

(Made of Aluminum—without Glass)

No. 4011 (75-100 watt)

Width.....9½ inches
Length.....7½ Inches

Wired Medium Base Socket.

Canopy Turn Button Switch can be supplied at 45c list extra.

NOTE: All information and data relative to Dimensions—Metal Finishes, etc. will be found on Page 60, at the back of this sheet.

Metal Grills will be finished to match other metalwork of fixtures.

Glass Discs will be supplied in Satin Finish Frosted Crystal unless otherwise specified.

Glass Discs can also be furnished in Amber or Daylight Blue, if specified on order.

Series F-300

Semi-Indirect Lighting Fixtures
Combining a Plurality of Aluminum Louvres with
Opal Glass Disc in the bottom.
For Showrooms, Reception Rooms, Stores, Private Offices, etc.



F 318—(300-500 watt)
With Four Louvres as illustrated
Diameter—18 inches.....Overall Length—32 inches
Wired with Mogul Base Socket

F 322—(750-1000 watt)
With Five Louvres
Diameter—22 inches.....Overall Length—35 inches
Wired with Mogul Base Socket

For additional overall lengths, add 75c list per foot, or fraction of a foot.

For fixtures wired to take 3-Light Lamps:
Add $3.00 List for 3 circuit socket and switch.
Add $1.50 List for 3 circuit socket only—
no switch.

Indirect Lighting Wall Bracket

(Made of Aluminum only—without Glass)

No. 4011—(75-100 watt)
Width.....9½ inches
Length.....7½ inches
Wired Medium Base Socket.

Canopy Turn Button Switch can be supplied at 45c list extra.

Fixtures are made of Spun Aluminum and are finished in Sprayed **CHROMALUSTRE** with Polished Aluminum Highlights.

Sprayed **GOLDLUSTRE** with Polished Gold Highlights.

When ordering, please mention Number and Finish required.

Listed under Label Service of Underwriters' Laboratories, Inc.

Series F-4000

Efficient Luminaires of Artistic Design
for
Indirect and Semi-Indirect Illumination for
Stores, Showrooms, Reception Rooms, Banks and Lobbies

INDIRECT LIGHTING



No. 4018—(300-500 watt)
Diameter—18 inches.....Overall length—32 inches
Wired Complete with Mogul Socket

No. 4022—(750-1000 watt)
Diameter—22 inches.....Overall length—35 inches
Wired Complete with Mogul Socket

For additional overall lengths, add 75c list per foot, or fraction of a foot.

For fixtures wired to take 3-light lamps:
Add $3.00 List for 3 circuit socket and switch.
Add $1.50 List for 3 circuit socket only—without switch.

Listed under Label Service of Underwriters' Laboratories, Inc.

Finishes:—
Sprayed Chromalustre with
Polished Aluminum Highlights

Sprayed Goldlustre with
Polished Gold Highlights

SEMI-INDIRECT LIGHTING
with
Opal Glass Dish



No. 4018-G—(300-500 watt)
Diameter—18 inches.....Overall length—32 inches
Wired Complete with Mogul Socket

No. 4022-G—(750-1000 watt)
Diameter—22 inches.....Overall length—35 inches
Wired Complete with Mogul Socket

Series No. 9400

Semi-Indirect Ornamental Luminaires for
Showrooms, Lobbies, Reception Rooms, Stores

All Metal Parts finished in **Stained Bronze** or **Ivory and Gold**

Glassware furnished in **Iridescent Stippled Gold (NuGold)**

For fixtures wired to take 3-Light Lamps.
Add $3.00 list for 2-circuit socket & switch.
Add $1.50 list for 2-circuit socket only, when no switch is required

Number	Dimensions		Type of Socket Furnished	Recommended Wattage
	Overall Length	Diam. of Glass		
9412	31 inches	12 inches	Medium	100
9414	32 inches	14 inches	Medium	100–150
9416	33 inches	16 inches	Medium	150–300
9418	35 inches	18 inches	Mogul	300–500

For additional overall lengths, add 75c list per foot, or fraction of a foot.

Listed under Label Service of Underwriters' Laboratories, Inc.

Series No. 9400

Semi-Indirect Ornamental Luminaires

No. 9422 to No. 9428 (1 Light)

No. 9441 (1 Light)

All Metal Parts are finished in
STAINED BRONZE
or
IVORY and GOLD
Glassware is furnished in
IRIDESCENT
STIPPLED GOLD

No. 9411 (1 Light Wall Bracket)
(Canopy turn switch can be furnished at 45c list extra.)

Numbers	Dimensions		Type of Socket Furnished	Recommended Wattage
	Overall Length	Diam. of Glass		
9411	8½ inches	8 inches	Medium	75
9422	17 inches	12 inches	Medium	100
9424	18 inches	14 inches	Medium	100–150
9426	19 inches	16 inches	Medium	150–300
9428	21 inches	18 inches	Mogul	300–500
9441	13 inches	12 inches	Medium	100

When ordering, please mention Number and Finish required

Listed under Label Service of Underwriters' Laboratories, Inc

Series No. 9000

Semi-Indirect Ornamental Luminaires for
Banks, Showrooms, Lobbies, Stores, Reception Rooms

All Metal Parts finished in **Stained Bronze**

Glassware furnished in **Iridescent Stippled Gold**



For fixtures wired to take the new 3-Light Lamps.

Add $3.00 list for the special 2-circuit socket and switch. Add $1.50 list for the 2-circuit socket only, when no switch is required.

Number	Dimensions			Type of Socket Furnished	Recommended Wattage
	Overall Length	Diam. of Band	Diam. of Glass		
9014	33 inches	14 inches	10 inches	Medium	100–150
9016	35 inches	16 inches	12 inches	Medium	150–200
9019	36 inches	19 inches	14½ inches	Mogul	300–500
9030	42 inches	30 inches	20 inches	Mogul	750–1500

For additional overall lengths, add 75c list per foot or fraction of a foot.

Listed under Label Service of Underwriters' Laboratories, Inc.

Series No. 9000

Semi-Indirect Ornamental Luminaires



No. 9024 [1 Light]
No. 9026 [1 Light]
No. 9029 [1 Light]

No. 9011 [1 Light Wall Bracket]

[Canopy Turn Switch can be furnished at 45c list, extra.]

All Metal Parts are finished in
STAINED BRONZE
Glassware is furnished in
IRIDESCENT STIPPLED GOLD

No. 9044 [2 Lights]
No. 9046 [2 Lights]
No. 9049 [3 Lights]

Number	Dimensions			Type of Socket Furnished	Recommended Wattage
	Overall Length	Diam. of Band	Diam. of Glass		
9011	8 inches	.....	8 inches	Medium Base	75–100
9024	20 inches	14 inches	10 inches	Medium Base	100–150
9026	22 inches	16 inches	12 inches	Medium Base	150–200
9029	23 inches	19 inches	14½ inches	Mogul Base	300–500
9044	12 inches	12 inches	10 inches	Two Medium	Two 60 watt
9046	14 inches	14 inches	12 inches	Two Medium	Two 75 watt
9049	17 inches	17 inches	14½ inches	Three Medium	Three 75 watt

Listed under Label Service of Underwriters' Laboratories, Inc.

"Filigree"

For Offices, Showrooms, Stores, Banks, etc.

A Semi-Indirect luminaire, producing a maximum of downwardly concentrated glareless illumination—in addition to an adequate amount of diffused light around the walls and on the ceiling.



No. 716—8166

Overall length—38 inches
Diameter of Glass bowl—16 inches
Glass fitter size—6 inches
Wired with medium base porcelain socket

For extra overall lengths, add 75c list per foot or fraction of a foot.

Glassware is white **"HYPERION"**

Fixtures are furnished in a Brushed Aluminum Finish.

Cast Grills are furnished in Ivory Finish.

No. 726—8166

Overall length—15 inches
Diameter of Glass bowl—16 inches
Glass fitter size—6 inches
Wired with medium base porcelain socket
Mogul Socket 45c list extra.

For fixtures wired to take 3-light lamps.
Add $3.00 list for the special 2-circuit socket and switch.
Add $1.50 list for the 2-circuit socket only, when no switch is required.

GLASS AND GRILL ONLY



No. 8166

Diameter—16 inches
Depth—10 inches Fitter—6 inches

Listed under Label Service of Underwriters' Laboratories, Inc.

"Style-lux"

A Beautiful Semi-Indirect Luminaire

for

Showrooms, Lobbies, Banks, Stores, Reception Rooms

Patent Applied for

For fixtures wired to take the new 3-Light Lamps.

Add $3.00 list for the special 2-circuit socket and switch. Add $1.50 list for the 2-circuit socket only, when no switch is required.



All Metal Parts finished in Stained Bronze

Glassware furnished in Iridescent Stippled Gold

Number	Dimensions		Type of Socket Furnished	Recommended Wattage
	Overall Length	Diam. of Bowl		
6012	30 inches	12 inches	Medium Base	100- 150
6014	32 inches	14 inches	Medium Base	150- 200
6016	33 inches	16 inches	Medium Base	- 200
6018	35 inches	18½ inches	Mogul Base	300- 500
6020	36 inches	20½ inches	Mogul Base	500-1000

For additional overall lengths, add 75c list per foot, or fraction of a foot.

Listed under Label Service of Underwriters' Laboratories, Inc.

"Style-lux"

A Beautiful Semi-Indirect Luminaire for
Showrooms, Lobbies, Banks, Stores, Reception Rooms

Patent Applied for

No. 6022 to No. 6030 [1 Light]

All metal parts are finished in
STAINED BRONZE
Glassware is furnished in
IRIDESCENT STIPPLED GOLD



No. 6721 [1 Light]
Overall length.....14 inches
Spread..... 9 inches
Wired with medium base socket



No. 6011 [1 Light]
Overall Extension.....10 inches
Backplate.....4¾ inches Diameter
(Add 45c List for Canopy Turn Switch.)

N. 6021 [1 Light]
Length .....8 inches
Width.....8 inches
(Add 45c List for Canopy Turn Switch.)

Number	Dimensions		Type of Socket Furnished	Recommended Wattage
	Overall Length	Diam. of Bowl		
6011	.....	7 inches	Medium Base	40- 60
6021	.....	.....	Medium Base	75- 100
6022	17 inches	12 inches	Medium Base	100- 150
6024	19 inches	14 inches	Medium Base	150- 200
6026	20 inches	16 inches	Medium Base	- 200
6028	22 inches	18½ inches	Mogul Base	300- 500
6030	23 inches	20½ inches	Mogul Base	500-1000
6721	14 inches	9 inches	Medium Base	40- 60

For fixtures No. 6026-6028 and 6030 to take 3 Light Lamps, add $3.00 list for the special 2-circuit socket and switch.
Add $1.50 list only, for 2-circuit socket, when switch is not required.
Listed under Label Service of Underwriters' Laboratories, Inc.

See other side.

Semi-Indirect Luminaire

for

Stores, Showrooms, Reception Rooms and Public Buildings

For fixtures wired to take 3-Light Lamps. Add $3.00 list for 2-circuit socket & switch. Add $1.50 list for 2-circuit socket only, when no switch is required.

❖

When ordering please give fixture number required.

❖

For additional overall lengths, add 90c per foot or fraction of a foot.



FINISHES

Polished Chrome with Ebony Trim and Opal Glass with frosted Etching

❖

Stained Bronze with Gold Iridescent Glassware. **(No Etching)**

No. 7018

Diam. of Fixture.....19 inches
Diam. of Glass Bowl.....16 inches
Overall Length of Fixture.....33 inches
Recommended Wattage.....150-200 w.

Wired with Medium Base Socket

No. 7020

Diam. of Fixture.....21 inches
Diam. of Glass Bowl.....18 inches
Overall length of Fixture.....36 inches
Recommended Wattage.....300-500 w.

Wired with Mogul Base Socket

Listed under Label Service of Underwriters' Laboratories, Inc.

Super-X-lite

For schools, offices, accounting rooms, stores, hospitals and all places where good and adequate illumination is essential.

For fixtures wired to take the new 3-light Lamps
Add **$3.00** list for the special 2-circuit socket and switch.
Add **$1 50** list for the 2-circuit socket only, when no switch is required.
For longer overall lengths, add **90c** list per foot or fraction of a foot. Pendant Stems can be supplied in ¾" Diam. Tubing instead of Standard ½"



No. 2616—16" Diam. Bowl
Recommended Wattage—150-200.
Wired Complete with Porcelain Medium Base Socket
Overall length ..... 30 inches

No. 2618—18" Diam. Bowl
Recommended Wattage—300-500
Wired Complete with Porcelain Mogul Socket
Overall length.....33 inches

No. 2620—20" Diam. Bowl
Recommended Wattage—300-500.
Wired Complete with Porcelain Mogul Socket
Overall length.....33 inches

No. 2620A—20" Diam. Bowl
Wired with Giant Mogul Socket Cover for 750—1000 watt lamp
Overall length .... 36 inches

All Fixtures finished in "Dull Chrome"

(Dull Chrome is Satin Finished Chrome.)



No. 2626—16" Diam. Bowl
Recommended Wattage—150-200.
Wired Complete with Porcelain Medium Base Socket
Overall length.....12 inches

No. 2628—18" Diam. Bowl
Recommended Wattage—300-500.
Wired Complete with Porcelain Mogul Socket
Overall length.....14 inches

No. 2630—20" Diam. Bowl
Recommended Wattage—300-500.
Wired Complete with Porcelain Mogul Socket
Overall length.....15 inches

No. 2630A—20" Diam. Bowl
Wired with Giant Mogul Socket cover for 750—1000 watt lamp
Overall length.....17 inches



No. 1611—Wall Bracket

Length.....11½ Inches
Width.....10¾ Inches
Furnished Wired Complete, No Switch.
Add 45c List for Canopy Turn Switch.)
Will take lamp sizes up to 150 watts.

NOTE: Brackets are made of Cast Aluminum and are finished in Satin Aluminum, simulating Dull Chrome.

Listed under Label Service of Underwriters' Laboratories, Inc.

"Gill-Lux"

An Indirect Lighting Unit
Combining Lighting Efficiency and Beauty

Fixtures and Brackets are furnished in **"CHROMALUSTRE"** and **"COPPERLUSTRE."**

"CHROMALUSTRE" is an applied silvery grey lustre, simulating satin chrome.
"COPPERLUSTRE" is an applied copper bronze lustre, simulating satin bronze.

The triple beaded edge of all reflectors is high polished aluminum. Reflectors are made of spun aluminum and the inside is finished bright dipped.

Glassware is Hyperion opal.

No. 3016—(150-200 watt)
Diameter—16 inches.....Length 30 inches
Wired medium base.

No. 3018—(300-500 watt)
Diameter—18 inches.....Length 32 inches
Wired mogul base.

No. 3022—(750-1000 watt)
Diameter—22 inches.....Length 36 inches
Wired mogul base.

For additional overall lengths, add 75c list per foot, or fraction of a foot.

For fixtures wired to take 3-light lamps:
Add $3.00 List for 3 circuit socket and switch.
Add $1.50 List for 3 circuit socket only—without switch.



No. 3011—(100 watt)
Length.....8½ inches
Extension.....7 inches
(Canopy switch 45c net extra)

Listed under Label Service of Underwriters' Laboratories, Inc.

Glass Louvre Fixtures

for

Stores, Showrooms and Reception Rooms



No. 916/3700

With White Glass Louvres and Clear Crystal Stripes.

No. 916/3700-C

With Crystal Clear Glass Louvres, Black Stripes and Beveled Edges.

Overall Length—30 inches.....Diam. of Louvres 17 inches
For 150–200 watt Lamp.

No. 916/3722

With White Glass Louvres and Clear Crystal Stripes.

No. 916/3722-C

With Crystal Clear Glass Louvres, Black Stripes and Beveled Edges.

Overall Length—33 inches.....Diam. of Louvres 22 inches
For 300–500 watt Lamp.
Mogul Socket **45c** List Extra.

All fixtures are furnished wired complete with medium base sockets, and slow burning wire.
Finish of fixtures POLISHED CHROME.

No. 926/3700

With White Glass Louvres and Clear Crystal Stripes.

No. 926/3700-C

With Crystal Clear Glass Louvres, Black Stripes and Beveled Edges.

Overall Length—16 inches.....Diam. of Louvres 17 inches
For 150–200 watt Lamp.

No. 926/3722

With White Glass Louvres and Clear Crystal Stripes.

No. 926/3722-C

With Crystal Clear Glass Louvres, Black Stripes and Beveled Edges.

Overall Length—19 inches.....Diam. of Louvres 22 inches
For 300–500 watt Lamp.

GLASS ONLY

No. 3700

Hyperion Unit, complete with 17-inch Glass Louvres with Clear Crystal Stripes.

No. 3700-C

Hyperion Unit, complete with 17-inch Glass Louvres with Black Stripes.

No. 3722

Hyperion Unit, complete with 22-inch Glass Louvres with Clear Crystal Stripes.

No. 3722-C

Hyperion Unit, complete with 22-inch Glass Louvres with Black Stripes

Diameter of Fitter - 6 inches

Listed under Label Service of Underwriters' Laboratories, Inc.



Metal parts are furnished wired complete and finished in **"Silverlustre"**—an applied and lasting finish, very similar in appearance to Brushed Aluminum.

Pendants can be furnished in **"Statuary Bronze"** finish, at 75c each list extra.

For fixtures wired to take the new 3-Light Lamps.

Add $3.00 list for the special 2-circuit socket and switch.

Add $1.50 list for the 2-circuit socket only, when no switch is required.

SERIES F-400

A Popular Priced Scientifically Designed Luminaire, for use in Schools, Offices, Accounting Rooms, Stores, Showrooms, Hospitals and all places where good and adequate illumination is essential.

PENDANT TYPES

No. 416—16" Diam. Bowl
Recommended Wattage—150-200.
Wired Complete with Porcelain Medium Base Socket
Overall length.....30 inches

No. 418—18" Diam. Bowl
Recommended Wattage—300-500
Wired Complete with Porcelain Mogul Socket.
Overall length.....33 inches

No. 420—20" Diam. Bowl
Recommended Wattage—300-500.
Wired Complete with Porcelain Mogul Socket.
Overall length.....33 inches

No. 420A—20" Diam. Bowl
Wired with Giant Mogul Socket Cover for 750-1000 Watt Lamp.
Overall length.....36 inches

For overall lengths of more than standard, add 45 cents list per foot or fraction of a foot.

SEMI-FLUSH TYPES

No. 426—16" Diam Bowl
Recommended Wattage—150-200.
Wired Complete with Medium Base Socket.
Overall length.....12 inches

No. 428—18" Diam. Bowl
Recommended Wattage—300-500
Wired Complete with Mogul Socket.
Overall length.....14 inches

No. 430—20" Diam. Bowl
Recommended Wattage—300-500.
Wired Complete with Mogul Socket.
Overall length.....15 inches

No. 430A—20" Diam. Bowl
Wired with Giant Mogul Socket Cover for 750-1000 Watt Lamp.
Overall length.....17 inches



Listed under Label Service of Underwriters' Laboratories, Inc.

"Gill-lite"

Maximum Lighting Efficiency—Minimum Surface Brightness

"GILL-LITE" is an All-White Glass Unit which, when illuminated, produces a Beautiful Mellow Ivory Tone—(eliminating Glare and Eye-strain) – while still retaining its Interior Whiteness, for Maximum Reflection to the ceiling. "GILL-LITE" is ideal for the illumination of Hospitals, Offices, Showrooms, Schools and all other places where adequate illumination, without eye-strain. is essential



No. 4416—With 16" diameter "Gill-lite" Bowl
Wired with porcelain Medium Base Socket for 150-200 watt lamp.
Overall length..... ..30 inches

No. 4418—With 18" diameter "Gill-lite" Bowl
Wired with porcelain Mogul Base Socket for 300-500 watt lamp.
Overall length..... ..33 inches

No. 4420—With 20" diameter "Gill-lite" Bowl
Wired with porcelain Mogul Base Socket for 300-500 watt lamp.
Overall length.....33 inches

No. 4420A—With 20" diameter "Gill-lite" Bowl
Wired with Giant Mogul Socket Cover for 750-1000 watt lamp.
Overall length.....36 inches

For longer overall lengths, add **90c** list per foot or fraction of a foot.

When ordering, give Number and Finish required.



No. 4426—With 16" diameter "Gill-lite" Bowl
Wired with porcelain Medium Base Socket for 150-200 watt lamp.
Overall length..... 12 inches

No. 4428—With 18" diameter "Gill-lite" Bowl
Wired with porcelain Mogul Base Socket for 300-500 watt lamp.
Overall length.....14 inches

No. 4430—With 20" diameter "Gill-lite" Bowl
Wired with porcelain Mogul Base Socket for 300-500 watt lamp.
Overall length.....15 inches

No. 4430A—With 20" diameter "Gill-lite" Bowl
Wired with Giant Mogul Socket Cover for 750-1000 watt lamp.
Overall length.....17 inches

All Fixtures are furnished in Polished Chrome.

For fixtures wired to take the new 3-Light Lamps. Add **$3.00** list for the special 2-circuit socket and switch.

Add **$1.50** list for the 2-circuit socket only, when no switch is required.

"Gill-lite" Luminaires can also be furnished in "Nugold" [Gold Iridescent Glassware] with Statuary Bronze Fixtures.

Listed under Label Service of Underwriters' Laboratories, Inc.

"Superba"

A semi-indirect luminaire for schools, offices, accounting rooms, stores, hospitals and all places where good and adequate illumination, without eye strain, is essential.





No. 4626—16" Diam. Bowl
Recommended Wattage—150-200
Wired Complete with Porcelain Medium Base Socket
Overall length.....12 inches

No. 4628—18" Diam. Bowl
Recommended Wattage—300-500
Wired Complete with Porcelain Mogul Base Socket
Overall length.....14 inches

Standard Finish of Pendants is
"DULL CHROME"
(Dull Chrome is Satin Finished Chrome)

No. 4616—16" Diam. Bowl
Recommended Wattage—150-200
Wired Complete with Porcelain Medium Base Socket
Overall length.....30 inches

No. 4618—18" Diam. Bowl
Recommended Wattage—300-500
Wired Complete with Porcelain Mogul Base Socket
Overall length.....33 inches

For longer overall lengths, add 90c list per foot or fraction of a foot.

For fixtures wired to take the new 3-Light Lamps.

Add $3.00 list for the special 2-circuit socket and switch.

Add $1.50 list for the 2-circuit socket only, when no switch is required.

Listed under Label Service of Underwriters' Laboratories, Inc.

The "NEW YORKER"

A Semi-indirect Luminaire of distinctive appearance, for use in Showrooms, Offices, Schools and Accounting Rooms and all other places where good, pleasing and adequate illumination, without eye-strain, is essential.



No. 4516

Overall Length.....35 inches
Diameter of Metal Band.....18 inches
Diameter of Glass.....15¼ inches

Wired with medium base socket for 150-200 watt Lamp.

No. 4518

Overall Length.....38 inches
Diameter of Metal Band.....22 inches
Diameter of Glass.....18½ inches

Wired with Mogul base socket for 300-500 watt Lamp.

For overall lengths of more than standard, add **90** cents list per foot or fraction of a foot.



No. 4526

Overall Length.....13 inches
Diameter of Metal Band.....18 inches
Diameter of Glass.....15¼ inches

Wired with Medium base socket for 150-200 watt Lamp.

No. 4528

Overall Length.....15 inches
Diameter of Metal Band.....22 inches
Diameter of Glass.....18½ inches

Wired with Mogul base socket for 300-500 watt Lamp.

Finish of Metal Parts: "Polished Chrome"

For fixtures wired to take the new 3-Light Lamps.

Add **$3.00** list for the special 2-circuit socket and switch.

Add **$1.50** list for the 2-circuit socket only, when no switch is required.

Listed under Label Service of Underwriters' Laboratories, Inc.

Commercial Lighting Fixtures
with
"Hyperion" Glassware

ndants are furnished in either CHROME or CADMIUM finishes, wired complete with medium base sockets



When ordering, please mention fixture number, size of Glassware and finish of Pendant desired.

No. 816/B. 26
Length of Pendant to bottom of stem is 24 inches

If longer lengths are desired, add **90 cents** list per foot or fraction of a foot for CHROME and **75 cents** list per foot for CADMIUM

Number	Diameter of Glassware	Recommended Wattage
816/B. 26	16 inches	200 - 500
816/B. 24	14 "	150 - 300
816/B. 22	12 "	100 - 200

ote:—Fixtures are furnished with ¾" diam. stems, but ½" stems can be furnished if desired

Listed under Label Service of Underwriters' Laboratories, Inc.

"Streamline"

Commercial Luminaire
with
"Hyperion" Glassware

Fixtures are furnished in Polished CHROME finish, wired with medium base porcelain sockets and No. 16 heat resisting wire.

For Mogul socket, add 45c list.



For longer overall lengths than specified, add 90c list per foot or fraction of a foot. Standard stem diameter is ¾ inch, but ½ inch stem can be supplied if called for.

No. 812/S. 12
No. 814/S. 14

Number	Dimensions of Unit Including Metal Cone						Overall Length of Fixture Complete
	Diameter		Length		Glass Fitter		
812/S12	12"	x	18"	x	5"		36 inches
814/S14	14"	x	22"	x	6"		40 inches

Listed under Label Service of Underwriters' Laboratories, Inc.

The "Excelite" Unit

Plain White "Hyperion" Glassware with Dull Chrome Finished Fixture

U. S. Patent No. 1,977,401

Luminaire Number	Diameter of Bowl	Overall Length of Luminaire	Standard Carton	Weight Stand. Carton	For Lamp Size
1616	16 Inches	26 Inches	1	11 lbs.	200 Watt Medium Base
1620	20 Inches	30 Inches	1	15 lbs.	300-500 Watt. Mogul Base

NOTE: It is essential that **Inside Frosted Lamps** be used to avoid unsightly ceiling striations, which are produced by clear crystal lamps

Listed under Label Service of Underwriters' Laboratories, Inc.

The "Excelite" Unit

Plain White "Hyperion" Glassware with Dull Chrome Finished Fixture

U. S. Patent No. 1,977,401

No. 1626

Diameter.....16 inches—Overall length.....17 inches
For 200 watt medium base lamp
Weight Standard Carton of One.....11 lbs.

No. 1630

Diameter.....20 inches—Overall length.....21 inches
For 300-500 watt mogul base lamp
Weight Standard Carton of One.....15 lbs.

All fixtures furnished wired complete

Metal parts furnished in
DULL CHROME
(Dull Chrome is Satin Finished Chrome)



No. 1611—Wall Bracket

Length.....11½ inches
Width.....10¾ inches

Furnished Wired Complete, No Switch
(Add 45c List for Canopy Turn Switch)
Will take lamp sizes up to 150 watts

Listed under Label Service of Underwriters' Laboratories, Inc.

Moderne Louvre Luminaire

with

"Hyperion" Glassware

No. 714—L3309
No. 716—L3312
No. 716—L3314
No. 716—L3316
*No. 716—L3318

Fixtures are furnished only in CHROMAL finish, a two-tone combination of Polished Chrome on the louvres and Satin finished Aluminum on the Pendants, and Ceiling Collars.

No. 724—L3309
No. 726—L3312
No. 726—L3314
No. 726—L3316
*No. 726—L3318

Fixtures are furnished wired complete with No. 16 Heat Resisting Wire, and with Porcelain Medium Base Sockets. Add 45c List for Mogul Sockets.

*When 18" Diameter Glassware is ordered complete with No. 716 Pendant or No. 726 Ceiling Holder, the fitter size will be 6" diameter only.

Number Fixture Complete	Number Glassware with Louvres only	Number Glassware only	Dimensions of Glassware only Diameter	Length	Fitter	Overall Length of Fixture Complete
714—L3309	L3309	3309	9"	9⅞"	4"	36 inches
716—L3312	L3312	3312	12"	11¼"	6"	39 inches
716—L3314	L3314	3314	14"	11⅝"	6"	39 inches
716—L3316	L3316	3316	16"	11⅝"	6"	39 inches
*716—L3318	L3318	3318	18"	12⅝"	6"	40 inches
724—L3309	.....	.....	9"	9⅞"	4"	14 inches
726—L3312	.....	.....	12"	11¼"	6"	16 inches
726—L3314	.....	.....	14"	11⅝"	6"	16 inches
726—L3316	.....	.....	16"	11⅝"	6"	16 inches
*726—L3318	.....	.....	18"	12⅝"	6"-8"	17 inches

NOTE: For longer overall lengths of Pendants No. 714-716, add 75c list per foot, or fraction of a foot.

Listed under Label Service of Underwriters' Laboratories, Inc. For Wall Brackets and Flush Ceiling types, see back of this sheet.

Moderne Louvre Luminaire

with

"Hyperion" Glassware



No. 706—L3508
No. 708—L3510
No. 710—L3512
No. 712—L3514

Fixtures are furnished only in CHROMAL finish, a two-tone combination of Polished Chrome on the Louvres and Satin finished Aluminum on the Ceiling Bands and Wall Brackets.

Ceiling fixtures are furnished wired complete with metal reflectors, which do not permit the light to form halos on the ceiling.



No. 702—L3306

Overall extension from wall—9 inches.

(With Canopy Switch)

Number Fixture Complete	Number Glassware with Louvres only	Number Glassware only	Dimensions of Glassware Diameter		Depth		Fitter	No. of Lights
702—L3306	L3306	3306	6"	x	5⅝"	x	3¼"	1 Light
706—L3508	L3508	3508	8"	x	3½"	x	6"	1 Light
708—L3510	L3510	3510	10"	x	3⅞"	x	8"	2 Lights
710—L3512	L3512	3512	12"	x	4⅜"	x	10"	2 Lights
712—L3514	L3514	3514	14"	x	4⅞"	x	12"	3 Lights

For Suspension and Ceiling Type Fixtures, see other side of this shee

Listed under Label Service of Underwriters' Laboratories, Inc.

Moderne Louvre Luminaire

with

Hyperion" Glassware

Fixtures are furnished only in CHROMAL finish—a two-tone combination of Polished Chrome on the louvres and Satin Finished Aluminum on the Pendants.



Standard Pendant length, without glassware, is 28 inches. If longer lengths are required, add 75c List per foot or fraction of a foot. Fixtures are furnished wired complete with Porcelain Medium Base Sockets. Add 45c List for Mogul Sockets.

*When 18" Diameter Glassware is ordered complete with No. 716 Pendant or No. 726 Ceiling Holder, the fitter size will be 6" diameter only.

No. 714—L2908
No. 714—L2910
No. 716—L2912
No. 716—L2914
No. 716—L2916
***No. 716—L2918**

Number Fixture Complete	Number Glassware with Louvres only	Number Glassware only	Dimensions of Glassware only Diameter	Length	Fitter	Overall Length of Fixture Complete
714—L2908	L2908	2908	8½"	6¾"	4"	33 inches
714—L2910	L2910	2910	10"	6½"	4"	33 inches
716—L2912	L2912	2912	12"	7½"	6"	34 inches
716—L2914	L2914	2914	14"	8⅜"	6"	36 inches
716—L2916	L2916	2916	16"	10"	6"	38 inches
*716—L2918	L2918	2918	19"	11⅝"	6" & 8"	40 inches

For Wall Bracket and Ceiling Types, see back of this sheet

Listed under Label Service of Underwriters' Laboratories, Inc.

Moderne Louvre Luminaire

with

"Hyperion" Glassware



Fixtures are furnished only in CHROMAL, a two-tone combination of Polished Chrome on the louvres and Satin Finished Aluminum on the Ceiling Collars and Brackets.

No. 724—L2908
No. 724—L2910
No. 726—L2912
No. 726—L2914
No. 726—L2916
***No. 726—L2918**

*When 18" Diameter Glassware is ordered complete with No. 716 Pendant or No. 726 Ceiling Holder, the fitter size will be 6" diameter only.

Fixtures are furnished wired complete with Porcelain Medium Base Sockets. Add 45c List, for Mogul Base Sockets on Ceiling Collars.



No. 704—L2908

Overall extension from wall 11 inches

(With Canopy Switch)

Number Fixture Complete	Number Glassware with Louvres only	Number Glassware only	Dimensions of Glassware only Diameter	Length	Fitter	Overall Length of Ceiling Fixtures
724—L2908	L2908	2908	8½"	6⅝"	4"	12 inches
724—L2910	L2910	2910	10"	6½"	4"	12 inches
726—L2912	L2912	2912	12"	7½"	6"	13 inches
726—L2914	L2914	2914	14"	8¾"	6"	14 inches
726—L2916	L2916	2916	16"	10"	6"	15 inches
*726—L2918	L2918	2918	18"	11⅝"	6" & 8"	17 inches
704—L2908	L2908	2908	8½"	6⅝"	4"	.....

For Suspension Type Fixtures, see other side of sheet

Listed under Label Service of Underwriters' Laboratories, Inc.

Moderne Louvre Luminaire

with

"Hyperion" Glassware

Fixtures are furnished only in CHROMAL finish—a two-tone combination of Polished Chrome on the louvres and Satin Finished Aluminum on the Pendants.



Standard Pendant length, without glassware, is 28 inches. If longer lengths are required, add 75c List per foot or fraction of a foot. Fixtures are furnished wired complete with Porcelain Medium Base Sockets. Add 45c List for Mogul Sockets.

*When 18" Diameter Glassware is ordered complete with No. 716 Pendant or No. 716 Ceiling Holder, the fitter size will be 6" diameter only.

No. 714—CL1708
No. 714—CL1709
No. 716—CL1712
No. 716—CL1714
No. 716—CL1716
***No. 716—CL1718**

Number Fixture Complete	Number Glassware with Louvres only	Number Glassware only	Dimensions of Glassware only Diameter	Length	Fitter	Overall Length of Fixture Complete
714—CL1708	CL1708	1708	8" x	6¼" x	4"	33 inches
714—CL1709	CL1709	1709	9" x	6½" x	4"	35 inches
716—CL1712	CL1712	1712	12" x	8½" x	6"	36 inches
716—CL1714	CL1714	1714	14" x	9¼" x	6"	38 inches
716—CL1716	CL1716	1716	16" x	10¼" x	6"	39 inches
*716—CL1718	CL1718	1718	18" x	12" x	6-8"	41 inches

Specify size of Fitter required (6" or 8")

For Wall Bracket and Ceiling Types, see back of this sheet

Listed under Label Service of Underwriters' Laboratories, Inc.

Moderne Louvre Luminaire

with

"Hyperion" Glassware



Fixtures are furnished only in CHROMAL, a two-tone combination of Polished Chrome on the louvres and Satin Finished Aluminum on the Ceiling Collars and Brackets.

No. 724—CL1708
No. 724—CL1709
No. 726—CL1712
No. 726—CL1714
No. 726—CL1716
***No. 726—CL1718**

*When 18" Diameter Glassware is ordered complete with No. 716 Pendant or No. 726 Ceiling Holder, the fitter size will be 6" diameter only.

Fixtures are furnished wired complete with Porcelain Medium Base Sockets. Add 45c List, for Mogul Base Sockets on Ceiling Collars.



No. 704—CL1708
Overall extension from wall 10 inches
(With Canopy Switch)

Number Fixture Complete	Number Glassware with Louvres only	Number Glassware only	Dimensions of Glassware only Diameter	Length	Fitter	Overall Length of Ceiling Fixtures
704—CL1708	CL1708	1708	8" x	6¼" x	4"	.....
724—CL1708	CL1708	1708	8" x	6¼" x	4"	11 inches
724—CL1709	CL1709	1709	9" x	6½" x	4"	13 inches
726—CL1712	CL1712	1712	12" x	8½" x	6"	14 inches
726—CL1714	CL1714	1714	14" x	9½" x	6"	15 inches
726—CL1716	CL1716	1716	16" x	10¼" x	6"	16 inches
*726—CL1718	CL1718	1718	18" x	12" x	6-8"	18 inches

For Suspension Type Fixtures, see other side of this sheet

Specify size of Fitter required (6" or 8")

Listed under Label Service of Underwriters' Laboratories, Inc.

Moderne Louvre Units

"Hyperion" Glassware

combined with

CHROME finished Metal Louvres

No. L601
No. L602
No. L603
No. L604

Louvre can be furnished in colors
Blue Green Red

Number Glassware and Louvre	Number Glassware only	Dimensions of Glassware Diameter		Length		Fitter
L601	601	10"	x	6¾"	x	4"
L602	602	12"	x	7⅝"	x	6"
L603	603	14"	x	8"	x	6"
L604	604	16"	x	8¾"	x	6"

Note: Standard No. 716 Pendants can be furnished for these Louvre Units

Moderne Louvre Luminaire

with

"Hyperion" Glassware



No. 736—L1712
No. 736—L1714
No. 736—L1716

Suspension type fixtures No. 716 and No. 736 will be furnished 28 inches long —from top of canopy to bottom of holder. (Quotations will be given for special lengths other than this.)

All fixtures will be furnished with Medium Base Porcelain Sockets and No. 16 Heat Resisting Wire.

For fixtures wired with **Mogul** sockets add 45c each list.

All metal parts are finished in Chromal. (CHROMAL is a Brushed Aluminum finish on the pendant and polished Chrome on the Louvres.)



No. 701—L1708
(With Canopy Switch)

Luminaire Complete	Glassware with Louvres only	Dimensions of Glassware Only Diameter		Length		Fitter
716/L1712	L1712	12"	x	8½"	x	6"
726/L1712	L1712	12"	x	8½"	x	6"
736/L1712	L1712	12"	x	8½"	x	6"
716/L1714	L1714	14"	x	9¼"	x	6"
726/L1714	L1714	14"	x	9¼"	x	6"
736/L1714	L1714	14"	x	9¼"	x	6"
716/L1716	L1716	16"	x	10"	x	6"
726/L1716	L1716	16"	x	10"	x	6"
736/L1716	L1716	16"	x	10"	x	6"
701/L1708	L1708	8"	x	6¼"	x	4"

Listed under Label Service of Underwriters' Laboratories, Inc.

Kindly mention Fixture Number desired.

Moderne Louvre Luminaire

with

"Hyperion" Glassware

No. 716—L1712
No. 716—L1714
No. 716—L1716



No. 726—L1712
No. 726—L1714
No. 726—L1716

All fixtures are furnished with Porcelain Medium Base Sockets and No. 16 Heat Resisting Wire, approved by the Board of Fire Underwriters.

For fixtures wired with **Mogul** sockets add 45c each list.

Metal Parts are finished in Chromal.
(CHROMAL is a Brushed Aluminum finish on the pendant and Polished Chrome on the Louvres.)

Turn to the front of this sheet for
other necessary information

Listed under Label Service of Underwriters' Laboratories, Inc.

Moderne Louvre Luminaire

with

"Hyperion" Glass Balls



Fixtures are furnished only in CHROMAL finish—a two-tone combination of Polished Chrome on the louvres and Satin Finished Aluminum on the Pendants.

Standard Pendant length, without glassware, is 28 inches. If longer lengths are required, add 75c List per foot or fraction of a foot. Fixtures are furnished wired complete with Porcelain Medium Base Sockets. Add 45c List for Mogul Sockets

*When 18" Diameter Glassware is ordered complete with No. 716 Pendant or No. 726 Ceiling Holder, the fitter size will be 6" diameter only.

No. 714—L57-8
No. 716—L57-10
No. 716—L57-12
No. 716—L57-14
No. 716—L57-16
***No. 716—L57-18**

Number Fixture Complete	Number Glassware with Louvre only	Number Glassware only	Dimensions of Glassware only Diameter		Fitter	Overall Length of Fixture Complete
714—L57-8	L57-8	57-8	8"	x	4"	35 inches
716—L57-10	L57-10	57-10	10"	x	6"	37 inches
716—L57-12	L57-12	57-12	12"	x	6"	39 inches
716—L57-14	L57-14	57-14	14"	x	6"	41 inches
716—L57-16	L57-16	57-16	16"	x	6"	43 inches
*716—L57-18	L57-18	57-18	18"	x	6" & 8"	45 inches

For Wall Bracket and Ceiling Types, see back of this sheet

Listed under Label Service of Underwriters' Laboratories, Inc.

Moderne Louvre Luminaire

with

"Hyperion" Glass Balls

No. 724—L57-8
No. 726—L57-10
No. 726—L57-12
No. 726—L57-14
No. 726—L57-16
***No. 726—L57-18**

*When 18" Diameter Glassware is ordered complete with No. 716 Pendant or No. 726 Ceiling Holder, the fitter size will be 6" diameter only.

Fixtures are furnished wired complete with No. 16 Heat Resisting Wire, and with Porcelain Medium Base Sockets. Add 45c List for Mogul Sockets.

Fixtures are furnished only in CHROMAL finish, a two-tone combination of Polished Chrome on the louvres and Satin finished Aluminum on the Brackets, and Ceiling Collars.

No. 702—L57-6

Overall extension from wall 9 inches
(With Canopy Switch)

Number Fixture Complete	Number Glassware with Louvre only	Number Glassware only	Dimensions of Glassware only Diameter		Fitter	Overall Length of Fixture Complete
702—L57-6	L57-6	57-6	6"	x	3¼"	
724—L57-8	L57-8	57-8	8"	x	4"	13 inches
726—L57-10	L57-10	57-10	10"	x	6"	15 inches
726—L57-12	L57-12	57-12	12"	x	6"	17 inches
726—L57-14	L57-14	57-14	14"	x	6"	19 inches
726—L57-16	L57-16	57-16	16"	x	6"	21 inches
*726—L57-18	L57-18	57-18	18"	x	6" & 8"	23 inches

Listed under Label Service of Underwriters' Laboratories, Inc.

Ceiling Fixtures and Bowls



Polished Chrome Fixtures

Enameled Opal Glassware with Frosted Crystal Bottom and Side Ribs

No. 210/3710 [2 Lights]
Overall depth ..... 5[illegible]
Glass ..... Diameter 10 inches
Packed 1 to a Standard Carton

No. 212/3712 [2 Lights]
Overall depth ..... 5[illegible] inches
Glass ..... Diameter 12 inches
Packed 1 to a Standard Carton

No. 214/3714 [3 Lights]
Overall depth ..... 5 7/8 inches
Glass ..... Diameter 14 inches
Packed 1 to a Standard Carton

Polished Chrome Fixtures

Velva Glassware

No. 1008 [1 Light]
Diameter of Metal Ring.... 7 1/4 inches
Overall depth ..... 4 1/2 inches
Glassware ..... 6 3/4 inches
Standard Carton ..... 1 piece

No. 1010 [1 Light]
Diameter of Metal Ring.... 7 1/4 inches
Overall depth ..... 6 inches
Glassware ..... 8 1/2 inches
Standard Package ..... 1 piece



Polished Chrome Fixtures

Enameled Opal Glassware with Frosted Crystal Bottom and Side Ribs

No. 206/3706 [1 Light]
Overall depth ..... 4 5/8 inches
Glass ..... Diameter 6 inches
Packed 1 to a Standard Carton

No. 208/3708 [1 Light]
Overall depth ..... 4 3/4 inches
Glass ..... Diameter 8 inches
Packed 1 to a Standard Carton

With hole in bottom centre

No. 3710
Dimensions ..... 10" Diam. x 3 3/4" Deep
Standard Carton ..... 4 pieces

No. 3712
Dimensions ..... 12" Diam. x 4" Deep
Standard Carton ..... 5 pieces

No. 3714
Dimensions ..... 14" Diam. x 4 1/2" Deep
Standard Carton ..... 5 pieces



With regular fitter

No. 3706
Dimensions ..... 6" Diam. x 3 1/2" Deep
Standard Carton ..... 24 pieces

No. 3708
Dimensions ..... 8" Diam. x 3 5/8" Deep
Standard Carton ..... 24 pieces

No. 1008 and **No. 1010** can also be supplied in White Enamel.

Listed under Label Service of Underwriters' Laboratories, Inc.

Specify number and finish, when ordering

Ceiling Bowl Fixtures

With

"Hyperion" Glassware

Metal Parts can be supplied in either "CHROME" or "CHROMALUSTRE."

[Chromalustre is an applied Metalustre, giving a Satin Finish Aluminum effect.]

All fixtures are supplied wired complete, and furnished with inner metal reflectors, which do not permit the light to form halos on the ceiling.





No. 706—3508
No. 708—3510
No. 710—3512
No. 712—3514
No. 714—3516

Complete Fixtures and Glassware packed one to a carton.

No. 708½—3508½
No. 710½—3510½
No. 712½—3512½
No. 714½—3514½
No. 716½—3516½

No. 3508 to No. 3516



No. 3508½ to No. 3516½

Number		Dimensions of Glassware					Number of Sockets	Standard Carton Glassware Only
Fixture	Complete	Glassware Only	Diameter		Depth	Fitter		
706	3508	3508	8"	x	3½"	x 6"	1 Light	24 Pieces
708	3510	3510	10"	x	3⅞"	x 8"	2 Lights	4 "
710	3512	3512	12"	x	4¾"	x 10"	2 Lights	4 "
712	3514	3514	14"	x	4¾"	x 12"	3 Lights	4 "
714	3516	3516	16"	x	5½"	x 14"	3 Lights	2 "
708½	3508½	3508½	8"	x	3"	No Fitter but with Hole in Bottom	1 Light	24 "
710½	3510½	3510½	10"	x	3¼"		2 Lights	4 "
712½	3512½	3512½	12"	x	3¾"		2 Lights	5 "
714½	3514½	3514½	14"	x	4¼"		3 Lights	5 "
716½	3516½	3516½	16"	x	4¾"		3 Lights	2 "

When ordering, please mention Fixture Number, Finish and Glassware Number desired.

Listed under Label Service of Underwriters' Laboratories, Inc.

Crystal Bottom Units

HYPERION GLASS

Plain and Decorated

No. 2400



No. 2400/E3

Number	Dimensions Diam.	Length	Fitter	Standard Carton	Weight
2400	9" x	12" x	4" and 6"	1	6 lbs.
2400/E3	9" x	12" x	4" and 6"	1	6 lbs.

Specify the size of Fitter required (4" or 6")

Crystal Bottom Units

HYPERION GLASS

Plain and Decorated



No. 2300

No. 2300/E2

Number	Dimensions Diam.	Length	Fitter	Standard Carton	Weight
2300	9" x	12" x	4" and 6"	1	6 lbs.
2300/E2	9" x	12" x	4" and 6"	1	6 lbs.

Specify the size of Fitter required (4" or 6").

Crystal Bottom Units

Made of "HYPERION" Glass

(Complete with Crystal Cut Bowl)



No. 165

Number	Standard Package	Dimensions Width	Length	Fitter	Weight Standard Package
165	1	13" x	12½" x	6"	13 lbs.

Moderne "Directo-Lite"

For special lighting installations where the principal rays of light are to be directed downward upon a working plane, the Moderne Directo-lite illustrated below is the utmost in efficiency. The Moderne Directo-lite is made of "Hyperion" glass with and without black line decoration, and with a polished Crystal Cut Reflector bowl inserted in the bottom.



"Hyperion" Glass with Crystal Cut Bowl

Number	Standard Package	Width		Length		Fitter	Finish
1465	1	12½"	x	11¼"	x	6"	Plain White
1465 D	1	12½"	x	11¼"	x	6"	Black Line
1464	4	9"	x	8"	x	4"	Plain White
1464 D	4	9"	x	8"	x	4"	Black Line

Crystal Bottom Units

for Kitchen - Bathroom - Kitchenette

No. 184



No. 2264

No. 2264-E



No. 2408

Number	Dimensions Width	Length	Fitter	Standard Package	Weight Standard Package
184	10⅜" x	7" x	4"	4	16 lbs.
2264	9" x	9¾" x	4"	4	18 lbs.
2264-E	9" x	9¾" x	4"	4	18 lbs.
2408	8¼" x	6¾" x	4"	12	46 lbs.

"Premier" Units

Made of "HYPERION" Glass



No. 2257
No. 2258



No. 2259E
No. 2260E



No. 2259
No. 2260



No. 2257E
No. 2258E

NUMBER	STANDARD PACKAGE	DIMENSIONS Width		Length		Fitter	WEIGHT Standard Package
2257	12	5½	x	9	x	4	26 lbs.
2257E	12	5½	x	9	x	4	26 lbs.
2258	1	10	x	16⅜	x	6	12 lbs.
2258E	1	10	x	16⅜	x	6	12 lbs.
2259	8	9	x	7½	x	4	22 lbs.
2259E	8	9	x	7½	x	4	22 lbs.
2260	1	12⅛	x	10½	x	6	10 lbs.
2260E	1	12⅛	x	10½	x	6	10 lbs.

The "Aristocrat" Unit

Made of "HYPERION" Glass

DECORATED



No. 1258E—10¼" x 16½" x 6" Fitter
No. 1257E—6" x 9" x 4" Fitter
No. 1261E—12½" x 20" x 6" or 8" Fitter

PLAIN WHITE

No. 1260—12½" x 10¾" x 6" Fitter
No. 1259—9" x 7½" x 4" Fitter

DECORATED



No. 1260E—12½" x 10¾" x 6" Fitter
No. 1259E—9" x 7½" x 4" Fitter

PLAIN WHITE

No. 1258—10¼" x 16½" x 6" Fitter
No. 1257—6" x 9" x 4" Fitter

Plain White	Decorated	Standard Package	Weight Standard Package
1257	1257-E	12	26 lbs
1258	1258-E	1	12 lbs
1259	1259-E	6	22 lbs
1260	1260-E	1	10 lbs

Series 1300-G and M

Semi-Indirect Units for Stores, Offices, Showrooms, etc.



No. 1315G
With Glass Louvre—15" Diameter
Size of Unit only—8½" x 8½" x 6" Fitter
Packed 4 to a Standard Carton

No. 1319G
With Glass Louvre—19" Diameter
Size of Unit only—12" x 8½" x 6" Fitter
Packed 4 to a Standard Carton



No. 1315M
With Metal Louvre—15" Diameter
Size of Unit only—8½" x 8½" x 6" Fitter
Packed 4 to a Standard Carton

No. 1319M
With Metal Louvre—19" Diameter
Size of Unit only—12" x 8½" x 6" Fitter
Packed 4 to a Standard Carton

Units are all furnished White Enameled" with ribbed bottoms and sides in Crystal.

Glass Louvres are supplied White "Enameled" with clear Crystal stripes.

No. 1309. Unit only
Dimensions—8½" x 8½" x 6" Fitter
Packed 4 to a Standard Carton

No. 1312. Unit only
Dimensions—12" x 8½" x 6" Fitter
Packed 4 to a Standard Carton

Note

Metal Reflectors are furnished in: Sprayed "Chromalustre" with Polished Aluminum Highlights

Series No. 6300

"Enameled"--"Hyperion"

With and Without Glass or Metal Louvres

No. 6308 EL—Louvre 12"
No. 6312 EL—Louvre 17½"
No. 6314 EL—Louvre 19½"
No. 6316 EL—Louvre 22"

No. 6308 E
No. 6312 E
No. 6314 E
No. 6316 E



No. 6308 EM—Louvre 15"
No. 6312 EM—Louvre 19"
No. 6314 EM—Louvre 22"
No. 6316 EM—Louvre 25"

Metal Louvres are furnished in: Sprayed "CHROMALUSTRE" with Polished Aluminum Highlights.

"Enameled" with Glass Louvre	"Enameled" with Metal Louvre	"Hyperion" with Glass Louvre	"Hyperion" with Metal Louvre	"Enameled" Unit only	"Hyperion" Unit only	Dimension of Unit				
						Diameter		Depth		Fitter
No. 6308EL	6308EM	6308L	6308M	6308E	6308	8"	x	6¾"	x	4"
No. 6312EL	6312EM	6312L	6312M	6312E	6312	12"	x	8½"	x	6"
No. 6314EL	6314EM	6314L	6314M	6314E	6314	14"	x	11"	x	6"
No. 6316EL	6316EM	6316L	6316M	6316E	6316	16"	x	12"	x	6"

When ordering, please give number and finish required.

Series 6320-G and M

Semi-Indirect Units for Stores, Offices, Showrooms, etc.

No. 6315 G
With Glass Louvre—15" Diameter
Size of Unit only—8½" x 8½" x 6" Fitter
Packed 4 to a Standard Carton

No. 6319 G
With Glass Louvre—19" Diameter
Size of Unit only—12" x 8½" x 6" Fitter
Packed 4 to a Standard Carton



No. 6315 M
With Metal Louvre—15" Diameter
Size of Unit only—8½" x 8½" x 6" Fitter
Packed 4 to a Standard Carton

No. 6319 M
With Metal Louvre—19" Diameter
Size of Unit only—12" x 8½" x 6" Fitter
Packed 4 to a Standard Carton

Units are all furnished White "Enameled" with ribbed bottoms and sides in Crystal.

Glass Louvres are supplied White "Enameled" with clear Crystal stripes.

No. 6309 E Unit Only
Dimensions—8½" x 8½" x 6" Fitter
Packed 4 to a Standard Carton

No. 6312 E Unit Only
Dimensions—12" x 8½" x 6" Fitter
Packed 4 to a Standard Carton

Note

Metal Reflectors are furnished in: Sprayed "Chromalustre" with Polished Aluminum Highlights

Listed under Label Service of Underwriters' Laboratories, Inc.

When ordering, please specify Number and Finish.

Series 3200

DECORATED



No. 3206-G—No. 3214-G "Hyperion" Opal Glass with Nugold (Gold Iridescent) Decoration

DIMENSIONS

No. 3206

Diameter	6½	inches
Depth	5¾	inches
Fitter	4	inches
Diameter of Glass Louvre	10	inches

No. 3208

Diameter	8½	inches
Depth	7⅛	inches
Fitter	4	inches
Diameter of Glass Louvre	12	inches

No. 3214

Diameter	14	inches
Depth	8¾	inches
Fitter	6	inches
Diameter of Glass Louvre	19½	inches

No. 3216

Diameter	16	inches
Depth	11	inches
Fitter	6	inches
Diameter of Glass Louvre	22	inches

WITH GLASS LOUVRE



No. 3206-L—No. 3214-L "Hyperion" Opal Glass Unit with Louvre of Opal Glass with Clear Crystal Stripes

Number	Finish	Standard Package
3206	Plain Opal	12
3208	" "	12
3214	" "	2
3216	" "	2
3206-G	Nugold	12
3208-G	"	12
3214-G	"	2
3216-G	"	2
3206-E	Enameled	12
3208-E	"	12
3214-E	"	2
3216-E	"	2
3206-L	Plain Opal with Louvre	4
3208-L	" " " "	4
3214-L	" " " "	2
3216-L	" " " "	2
3206-EL	Enameled with Louvre	4
3208-EL	" " "	4
3214-EL	" " "	2
3216-EL	" " "	2

ENAMELED



No 3206-E—No. 3214-E Crystal Glass Unit with Opal Enamel Decoration

When ordering, please give Number and Finish required.

Series 6100

"Hyperion" Units

Opal Glass with Crystal Striped Louvre Discs



No. 6108-L
No. 6112-L
No. 6114-L
No. 6116-L



No. 6108
No. 6112
No. 6114
No. 6116
No. 6118

Number	DIMENSIONS of UNITS						Diameter of Louvre	Standard Package
	Diameter		Depth		Fitter			
6108	8½	x	6	x	4		.....	12
6112	12	x	9¼	x	4 & 6		.....	4
6114	14	x	10⅞	x	6		.....	2
6116	16	x	12¼	x	6		.....	2
6118	18	x	13¾	x	6 & 8		.....	1
6108-L	8½	x	6	x	4		12 inches	4
6112-L	12	x	9¼	x	4 & 6		17½ inches	4
6114-L	14	x	10⅞	x	6		19½ inches	2
6116-L	16	x	12¼	x	6		22 inches	2

When ordering, please mention number and size required.
Advise whether 4" or 6" fitter is required on **No. 6112 & 6112-L**
" " 6" or 8" " " " " **No. 6118**

Series 6200

"Hyperion" and Enameled Units

Opal Glass with Crystal Striped Glass Discs



No. 6208-L
No. 6212-L
No. 6214-L
No. 6216-L

No. 6208
No. 6212
No. 6214
No. 6216

Number	Finish	DIMENSIONS of UNITS Diameter	Depth	Fitter	Diameter of Glass Disc	Standard Package
6208	Plain Hyperion Opal	7¼	7¾	4	.....	12
6212	" " "	12	8½	6	.....	4
6214	" " "	14	10	6	.....	2
6216	" " "	16	11⅛	6	.....	2
*6208-E	Enameled	7¼	7¾	4	.....	12
*6212-E	"	12	8½	6	.....	4
*6214-E	"	14	10	6	.....	2
*6216-E	"	16	11⅛	6	.....	2
6208-L	Plain Hyperion Opal with Glass Discs	7¼	7¾	4	12 inches	4
6212-L	" " " " " "	12	8½	6	17½ inches	4
6214-L	" " " " " "	14	10	6	19½ inches	2
6216-L	" " " " " "	16	11⅛	6	22 inches	2
*6208-EL	Enameled with Glass Discs	7¼	7¾	4	12 inches	4
*6212-EL	" " " "	12	8½	6	17½ inches	4
*6214-EL	" " " "	14	10	6	19½ inches	2
*6216-EL	" " " "	16	11⅛	6	22 inches	2

*Bottom rings of Enameled Units are Opal and Crystal consecutively.

When ordering, please mention number and size required.

Series 1200

Semi-Indirect Units for Stores, Showrooms, Offices etc.

Metal Reflector furnished in two finishes:

Sprayed "CHROMALUSTRE" with Polished Aluminum Highlights.

Sprayed "GOLDLUSTRE" with Polished Gold Highlights.



Glass Units can be furnished in either of three finishes:—

1. "Hyperior" Opal
2. Enameled-Crystal Bottom
3. Blue Bottom.

To avoid errors, please specify finish required when ordering.

Inside Reflectors are finished in Hard White Porcelain-effect Enamel.

1215—Plain Opal
1215 E—Enameled Bottom
1215 B—Blue Bottom

Diameter of Reflector.....15 inches
Glassware....Diam. 8½ in. Depth 8½ in. Fitter 4 and 6 ins.
Packed 4 to a Standard Carton.
*Packed 1 to a Standard Carton, add 30 cents to List Price

1219—Plain Opal
1219 E—Enameled Bottom
1219 B—Blue Bottom

Diameter of Reflector.....19 inches
Glassware.....Diam. 12 in. Depth 8½ in. Fitter 6 ins.
Packed 1 to a Standard Carton.

1222—Plain Opal
1222 E—Enameled Bottom
1222 B—Blue Bottom

Diameter of Reflector.....22 inches
Glassware.....Diam. 14 in. Depth 10 in. Fitter 6 ins.
Packed 1 to a Standard Carton.

1225—Plain Opal
1225 E—Enameled Bottom
1225 B—Blue Bottom

Diameter of Reflector.....25 inches
Glassware.....Dia. 16 in. Depth 11⅛ in. Fitter 6 in.
Packed 1 to a Standard Carton.

*Note: Unless otherwise noted on order, all units will be supplied. Packed 1 to a Carton.

When Ordering, please specify Number, Finish and Size of Glass Fitter.

Series 2200

Semi-Indirect Units for Stores, Showrooms, Offices, Etc.



2215—Plain Opal Unit
2215 E—Enameled Bottom
2215 B—Blue Bottom

Diameter of Louvre.....15 inches
Glassware.....Diam. 8½ ins. Depth 8½ ins. Fitter 4 and 6 ins.
Packed 4 to a Standard Carton.
*Packed 1 to a Carton, add 30 cents to list price

2219—Plain Opal Unit
2219 E—Enameled Bottom
2219 B—Blue Bottom

Diameter of Louvre.....19 inches
Glassware.....Diam. 12 ins. Depth 8½ ins. Fitter 6 ins.
Packed 1 to a Standard Carton.

2222—Plain Opal Unit
2222 E—Enameled Bottom
2222 B—Blue Bottom

Diameter of Louvre.....22 inches
Glassware.....Diam. 14 ins. Depth 11⅛ ins. Fitter 6 ins.
Packed 1 to a Standard Carton.

2225—Plain Opal Unit
2225 E—Enameled Bottom
2225 B—Blue Bottom

Diameter of Louvre.....25 inches
Glassware.....Diam. 16 ins. Depth 11⅛ ins. Fitter 6 ins.
Packed 1 to a Standard Carton.

*Unless otherwise noted on order, all units will be furnished packed 1 to a Standard Carton.

Louvre Bottom Ceiling Units
and Enclosing Globes



With Blue Bottom	Plain Opal
708½/3608-B	708½/3608
710½ 3610-B	710½/3610
712½ 3612-B	712½/3612
714½/3614-B	714½/3614
716½/3616-B	716½/3616

Fixtures are furnished in **Polished Chrome** or ***Chromalustre**
*(Chromalustre is an applied metalustre, giving a Satin Aluminum effect.)



With Blue Bottom	Plain Opal
3608-B	3608
3610-B	3610
3612-B	3612
3614-B	3614
3616-B	3616

When ordering, please mention number and finish desired.

FIXTURE COMPLETE	Finish of Glass	Glassware Only	Dimensions of Glass Diam.	Dimensions of Glass Depth	Number of Sockets	Standard Package Glass	Standard Package Fixtures Comp.
708½/3608-B	Blue Bottom	3608-B	8	3¾	1 Light	24	1
710½/3610-B	" "	3610-B	10	4	2 "	5	1
712½/3612-B	" "	3612-B	12	4⅜	2 "	5	1
714½/3614-B	" "	3614-B	14	5⅜	3 "	5	1
716½/3616-B	" "	3616-B	16	6½	3 "	3	1
708½/3608	Opal	3608	8	3¾	1 "	24	1
710½/3610	"	3610	10	4	2 "	5	1
712½/3612	"	3612	12	4⅜	2 "	5	1
714½/3614	"	3614	14	5⅜	3 "	5	1
716½/3616	"	3616	16	6½	3 "	3	1



Number	Finish	Dimensions Diam.	Dimensions Depth	Dimensions Fitter	Standard Package	Suggested Wattage
6208-B	Blue Bottom	7¼	7¾	4	12	75
6212-B	" "	12	8½	6	4	100–150
6214-B	" "	14	10	6	2	150–200
6216-B	" "	16	11⅛	6	2	200–300

When ordering, please mention number and finish required.

SERIES G-6100

Semi-Indirect Units

An Outstanding Semi-indirect Enclosed Type Unit for Lighting Offices, Schools, Hospitals, Stores, Assembly Rooms, Libraries and All Other Places Where Adequate Illumination, Without Eye-strain, is Essential.

PERFORMANCE — These Semi-Indirect Units, when tested by the Electrical Testing Laboratories of New York, show an overall efficiency of 83.5%, the maximum surface brightness is less than 1.0 candlepower per square inch at any point in line of vis'on: and less than 20% of the light output of the lamp is directed in the 0°-90° zone and more than 60% in the 90°-180° zone.



DESIGN — In order to secure wide, even distribution of the light directed toward the ceiling, a feature so desirable and important in semi-indirect lighting, the shape, proportions and sizes of this unit were especially devised and perfected by a prominent illuminating engineer of long experience in designing Government and commercial lighting equipment.

GLASS — The upper portion of the globe is of extremely light opacity, so as to allow the maximum of light to be reflected upward from the dense white lower portion of the globe. This dense white effect is produced by a special process in manufacturing and is an integral, permanent characteristic of the glass itself, not subject to deterioration or change of any kind. No external application whatever is employed, such as enameling, roughing or acid finishing.

Number	Dimensions Diam. Length Fitter	Standard Package	Weight Standard Package	Suggested Wattage	Prices
G-6112	12" x 9¼" x 4"-6"	4	15 lbs.	100-150	~~[illegible]~~
G-6114	14" x 10⅞" x 6"	2	11 lbs.	150-200	~~[illegible]~~
G-6116	16" x 12¼" x 6"	2	15 lbs.	200-300	~~[illegible]~~
G-6118	18" x 13¾" x 6"-8"	1	9 lbs.	300-500	~~[illegible]~~

When ordering, please mention size of fitter required on G-6112 (4" or 6") and G-6118 (6" or 8").

Note: This line of Units can also be furnished in "Hyperion" throughout, in sizes from 8" to 18" Diameter.

Photometric Test Chart
of
SERIES G-6100 Semi-Indirect Glassware

ELECTRICAL TESTING LABORATORIES
NEW YORK, N. Y.

REPORT NO 147687 ORDER NO. 71799-S PLATE NO 32376

CANDLEPOWER DISTRIBUTION
NO.6116 GILLITE UNIT*
Rendered to Gill Glass & Fixture Company

One unit submitted by client and tested in accordance with client's instructions.

Lamp - 200 Watts; 115 Volts; 3640 Lumens; PS30 Inside Frosted Gas-Filled Bulb; C-9 Filament; Medium Base; General Service.

Surface covering globe opening, reflection factor 0.40.

White diffusing glass Weight - 6 lb





LUMINAIRE DISTRIBUTION DATA

Mean Vertical

MID ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS	MID ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS
180° Hor	482		90° Hor	135	
175°	468	44	85°	119	150
165°	452	128	75°	97.5	103
155°	464	215	65°	84.5	84
145°	488	307	55°	83.5	75
135°	495	383	45°	95.5	74
125°	460	411	35°	108	68
115°	399	396	25°	120	56
105°	320	333	15°	128	36
95°	167	190	5°	131	12
			0 Nadir	133	

LIGHT FLUX VALUES

ZONE	LUMENS LAMP	LUMENS LUMINAIRE	PER CENT TOTAL LUMENS BARE LAMP	PER CENT LIGHT OUTPUT
0°-60°	975	321	9	83.5
0°-90°	1861	638	17.5	
90°-180°	1779	2407	66	
0°-180°	3640	3045	83.5	

LUMINAIRE BRIGHTNESS

#Omitted in accordance with client's instructions

CANDLEPOWER PER SQUARE INCH
ARROWS INDICATE THE LOCATION AND ANGLE OF VIEW

LOCATIONS	A	B	C	D	E	F	G	H	I	J	K	L	M
CP PER SQ IN	0.6	0.6	0.7	#	1.0	0.3	0.9	0.8	0.9	0.9	0.6	0.9	#

*E.T.L. No.9372

TESTED BY JWC PLOTTED BY JM COMPUTED BY JM CHECKED BY JWC ISSUED March 20, 1939.

APPROVED BY C. William Fruth
ENGINEER IN CHARGE OF PHOTOMETRY

C. E. Horn
IN CHARGE OF TEST

210-A

SERIES G-700

Semi-Indirect Units

New Design **New Glass** **New Performance**

An Outstanding Semi-indirect Enclosed Type Unit for Lighting Offices, Schools, Hospitals, Stores, Assembly Rooms, Libraries and All Other Places Where Adequate Illumination, Without Eye-strain, is Essential.

PERFORMANCE — These Semi-Indirect Units, when tested by the Electrical Testing Laboratories of New York, show an overall efficiency of 82.5%; the maximum surface brightness is less than 1.0 candlepower per square inch at any point in line of vision; and less than 20% of the light output of the lamp is directed in the 0°-90° zone and more than 60% in the 90°-180° zone.



DESIGN — In order to secure wide, even distribution of the light directed toward the ceiling, a feature so desirable and important in semi indirect lighting, the shape, proportions and sizes of this unit were especially devised and perfected by a prominent illuminating engineer of long experience in designing Government and commercial lighting equipment.

GLASS — Made of lightly cased glass, the upper portion of the globe being of extremely light density so as to allow the maximum of light to be reflected upward from the dense white lower portion of the globe. This dense white effect is produced by a special process in manufacturing and is an integral, permanent characteristic of the glass itself, not subject to deterioration or change of any kind. No external application whatever is employed, such as enameling, roughing or acid finishing.

Number	Dimensions Width Length Fitter	Standard Package	Weight Standard Package	Suggested Wattage
G710	10" x 7⅞" x 4"	4	11 lbs.	75-100
G712	12" x 7⅞" x 4"-6"	4	15 lbs.	100-150
G714	14" x 9⅜" x 6"	2	11 lbs.	150-200
G716	16" x 11¼" x 6"	1	9 lbs.	200-300
G718	18" x 12¾" x 8"-6"	1	11 lbs.	300-500
G720	20" x 14½" x 8"	1	20 lbs.	750-1000

When ordering, please mention size of fitter required on G712—(4" or 6") and G718—(6" or 8")

Photometric Test on Reverse Side of This Page.

Photometric Test Chart
of
SERIES G-700 Glassware

ELECTRICAL TESTING LABORATORIES
NEW YORK, N. Y.

REPORT NO. 125475 ORDER NO. 59369-S PLATE NO. 85171

CANDLEPOWER DISTRIBUTION

NO.716

Rendered to Gill Glass and Fixture Company

One globe submitted by client.

Lamp - 200 Watts; 115 Volts; 3400 Lumens; PS30 Inside Frosted Gas-Filled Bulb; C-9 Filament; Medium Base; General Service.

Surface covering globe opening - reflection factor 0.70, in accordance with client's instructions.

Weight of Glass - 5 lb 13 oz





LUMINAIRE DISTRIBUTION DATA

Mean Vertical

MID ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS	MID-ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS
180°	515		90°	119	
175°	488	46	85°	105	118
165°	457	130	75°	92.5	98
155°	428	211	65°	95	98
145°	433	274	55°	100	90
135°	441	340	45°	106	81
125°	419	379	35°	111	70
115°	358	352	25°	116	54
105°	289	274	15°	120	39
95°	140	198	5°	125	18
			0°	125	

LIGHT FLUX VALUES

ZONE	LUMENS LAMP	LUMENS LUMINAIRE	PER CENT TOTAL LUMENS BARE LAMP	PER CENT LIGHT OUTPUT
0°-90°	934	348	10	
0°-90°	1742	647	19	66.5
90°-180°	1656	2158	63.5	
0°-180°	3398	2805	82.5	

LUMINAIRE BRIGHTNESS

CANDLEPOWER PER SQUARE INCH
THE ARROWS INDICATE THE LOCATION AND ANGLE OF VIEW

LOCATIONS	A	B	C	D	E	F	G	H	I	J	K	L	M
CP. PER SQ. IN.	0.6	0.6	0.6	*	0.7	0.6	0.6	0.6	0.7	0.7	0.6	0.7	*

*Omitted in accordance with client's instructions.

TESTED BY ACC PLOTTED BY CGT COMPUTED BY CGT CHECKED BY JMT ISSUED August 8th, 1936.
E.T.L. Identification No.5896

APPROVED BY William L. Ahrens IN CHARGE OF PHOTOMETRY

C. E. Hom IN CHARGE OF TEST

550-4

* Note: Location Ratings at "D" and "M" were omitted as they are not in the line of vision at angles indicated

Commercial Units

Made of "Hyperion" Glass

The Glassware of Highly Efficient Lighting Qualities

No. 701—No. 707



No. 612—No. 616

No. 2908—No. 2924

No. 3309—No. 3318

No. 400—No. 402



No. 641—No. 646

Number	Dimensions Width	Length	Fitter	Standard Package	Weight Standard Package	Suggested Wattage
• 400	8"	9"	4"	12	20 lbs.	100–150
• 401	10"	12"	6"	1	4 lbs.	150–200
• 402	12"	14"	6"	1	8 lbs.	200–300
612	8½"	7"	4"	12	18 lbs.	75
612½	9"	7¼"	4"	12	23 lbs.	75–100
613	10"	6½"	4"	4	11 lbs.	100
* 614	12"	7½"	4"–6"	4	15 lbs.	100–150
615	14"	8¾"	6"	2	11 lbs.	150–200
616	16"	9⅝"	6"	2	15 lbs.	200–300
641	8½"	6"	4"	12	20 lbs.	75
641½	9"	6¼"	4"	12	23 lbs.	75–100
642	10"	7¼"	4"	4	11 lbs.	100
* 643	12"	8½"	4"–6"	4	17 lbs.	100–150
644	14"	9½"	6"	2	12 lbs.	150–200
** 645	16"	10¾"	6"–8"	2	16 lbs.	200–300
** 646	18"	11"	6"–8"	2	12 lbs.	300–500
701	8½"	7"	4"	12	20 lbs.	75
702	9"	7¼"	4"	8	16 lbs.	75–100
703	10"	7¾"	4"	4	4 lbs.	100
* 704	12"	8½"	4"–6"	2	8 lbs.	100–150
705	14"	9½"	6"	2	11 lbs.	150–200
706	16"	11½"	6"	2	16 lbs.	200–300
** 707	18"	12"	6"–8"	2	19 lbs.	300–500
2908	8½"	6½"	4"	12	22 lbs.	75
2910	10"	6½"	4"	4	12 lbs.	75–100
2912	12"	7½"	6"	4	17 lbs.	100–150
2914	14"	8¾"	6"	2	12 lbs.	150–200
2916	16"	10"	6"	2	18 lbs.	200–300
** 2918	18"	11⅝"	6"–8"	2	14 lbs.	300–500
2924	24"	14½"	10"	1	22 lbs.	500–1500
3309	9"	9⅞"	4"	8	20 lbs.	100
3312	12"	11¼"	6"	2	8 lbs.	100–150
3314	14"	11¾"	6"	2	12 lbs.	150–200
3316	16"	13⅜"	6"	2	16 lbs.	200–300
** 3318	18"	11⅞"	6"–8"	2	11 lbs.	300–500

• Nos. 400, 401, and 402 will be furnished without holes unless otherwise specified.
* If No. 614, 643, or 704 is ordered please specify whether 4" or 6" fitter is desired.
** If No. 645, 646, 707, 2918, or No. 3318 is ordered please specify whether 6" or 8" fitter is desired.

Commercial Units

Made of "Hyperion" Glass

The Glassware of Highly Efficient Lighting Qualities

No. 8608—No. 8620



No. 600—No. 604



No. 636—No. 640

No. 618—No. 623



No. 606—No. 611½

Number	Dimensions Width		Length		Fitter	Standard Package	Weight Standard Package	Suggested Wattage
600	8¼	x	5¾"	x	4"	12	20 lbs.	75
600½	9"	x	6¼"	x	4"	12	23 lbs.	75–100
601	10"	x	6¾"	x	4"	4	11 lbs.	100
* 602	12"	x	7¾"	x	4"–6"	4	15 lbs.	100–150
603	14"	x	8"	x	6"	2	11 lbs.	150–200
604	16"	x	8¾"	x	6"	2	15 lbs.	200–300
606	8½"	x	6"	x	4"	12	18 lbs.	75
606½	9"	x	6¼"	x	4"	12	23 lbs.	75–100
607	10"	x	6½"	x	4"	4	11 lbs.	100
* 608	12"	x	6½"	x	4"–6"	4	15 lbs.	100–150
609	14"	x	7⅞"	x	6"	2	11 lbs.	150–200
610	16"	x	8¾"	x	6"	2	15 lbs.	200–300
** 611	18"	x	9"	x	6"–8"	2	12 lbs.	300–500
611½	20"	x	10"	x	8"	1	16 lbs.	300–500
618	8½"	x	5¾"	x	4"	12	18 lbs.	75
618½	9"	x	6½"	x	4"	12	23 lbs.	75–100
619	10"	x	6½"	x	4"	4	11 lbs.	100
* 620	12"	x	6½"	x	4"–6"	4	15 lbs.	100–150
112	12"	x	7¾"	x	6"	4	15 lbs.	100–150
621	14"	x	8"	x	6"	2	11 lbs.	150–200
622	16"	x	9⅝"	x	6"	2	15 lbs.	200–300
** 623	18"	x	10½"	x	6"–8"	2	12 lbs.	300–500
636	8½"	x	6"	x	4"	12	18 lbs.	75
636½	9"	x	6½"	x	4"	12	23 lbs.	75–100
637	10"	x	6½"	x	4"	4	11 lbs.	100
* 638	12"	x	6½"	x	4"–6"	4	15 lbs.	100–150
639	14"	x	7¾"	x	6"	2	11 lbs.	150–200
640	16"	x	9¼"	x	6"	2	15 lbs.	200–300
8608	8½"	x	7"	x	4"	12	20 lbs.	75
8609	9"	x	7¼"	x	4"	12	23 lbs.	75–100
8610	10"	x	7¾"	x	4"	4	11 lbs.	100
* 8612	12"	x	8"	x	4"–6"	4	15 lbs.	100–150
8614	14"	x	9⅝"	x	6"	2	12 lbs.	150–200
8616	16"	x	11½"	x	6"	2	16 lbs.	200–300
** 8618	18"	x	12"	x	6"–8"	2	19 lbs.	300–500
8620	20"	x	12⅞"	x	8"	1	15 lbs.	500–1000

* If No. 602, 608, 620, 638, 8612 is ordered please specify whether 4" or 6" fitter is desired.
** If No. 611, 623, 8618 is ordered please specify whether 6" or 8" fitter is desired.

Decorated Units

with the addition of

Openwork Metal Banding

for

Bedrooms - Sun Parlor - Dinette

No. 5510-D

Dimensions—10"x 7¼"x 4" Fitter

Packed 4 to a Carton

Bedroom Units and Shades

Made of "HYPERION" Glass

No. 1709 E

Kindly mention color panels desired.

Different colors, however, cannot be furnished assorted in one carton

Can be furnished with Pink-Blue or Ivory Panels instead of Green as shown.

Different colors, however, cannot be furnished assorted in one carton.

No. 1707 E

Number	Standard Package	Dimensions Width		Length		Fitter	Weight Standard Package
1709 E	4	9"	x	6½"	x	4"	11 lbs.
1707 E	12	7"	x	5½"	x	2¼"	20 lbs.

I. E. S. Shades

[Approved and Un-approved]

"APPROVED" SHADES

Specially selected shades, made and tested in accordance with the Lighting Specifications of the Illuminating Engineering Society, for use with I. E. S. Lamps.

"UN-APPROVED" SHADES

The same in shape, appearance and quality of glassware as the "approved" shades, but not selected to meet the specifications of the Illuminating Engineering Society.



No. 309—"APPROVED"
No. 309—"Un-approved"
Diameter 10" — Fitter 2¼"
Weight per standard carton of 6 pieces — 17 lbs

No. 310—"APPROVED"
No. 310—"Un-approved"
Diameter 10" — Fitter 2⅞"
Weight per standard carton of 6 pieces — 17 lbs

No. 315—"APPROVED"
No. 315—"Un-approved"
Diameter 10" — Fitter 2¾"
Weight per standard carton of 6 pieces — 17 lbs

No. 338—"APPROVED"
No. 338—"Un-approved"
Diameter 9⅜" — Fitter 2⅝"
Weight per standard carton of 6 pieces — 14 lbs

No. 311—"APPROVED"
No. 311—"Un-approved"
Diameter 10" — Fitter 2⅞"
Weight per standard carton of 6 pieces — 17 lbs



No. 10—"APPROVED" Only,
End Table Lamp Diffusser
Depth 6" — Top Opening 4"
Diameter 7" — Fitter 2¼"
Weight per standard carton of 6 pieces—13 lbs



No. 317—"APPROVED" Only,
Diameter 10"—Fitter 2⅞"
Weight per standard carton of 6 pieces—18 lbs.



No. 308—"APPROVED"
No. 308—"Un-approved"
Diameter 8" — Fitter 2¼"
Weight per standard carton of 6 pieces — 13 lbs
No. 501—Diam. 6¼"x4¾"x2¼" Fitter
No. 506—Diam. 6" x5½"x2¼" Fitter
Weight per standard carton of 6 pieces — 6 lbs

PHILA.
MIRROFLECTOR
GILL-GLASS & FIXTURE CO.
PA.

Mirroflector

A Mirrored Glass Reflector having a permanent reflecting surface and contoured scientifically correct to accurately control the light.

No. 4100
No. 4200

Designed especially for flush mounting in flat ceilings.

—

High Shallow Windows

—

Island Windows

—

Open back and Partly Open Back Windows



No. 1100
No. 1150

Closed Back Windows

Windows having a solid background extending from floor to ceiling.

No. 3100
No. 3150

Island Windows

Windows having plate glass on both sides.

—

Open back and partly open back windows.

Windows having the back entirely open.
Windows having the back partly open.
Windows having the back entirely closed, but with glass panels in the background.

Mirroflectors are made of pure Crystal glass with two coats of genuine Silver applied—then a plating of Copper, followed by a silver powder baked on with a special varnish, which is a guarantee against peeling of the mirrored surface.

Mirroflectors are furnished complete with metal adaptors which are finished in Satin Finished Silver Color.
Flush mounting Rings can be furnished for all Mirroflectors. Add 93c. each, list.

Mirroflector Number	Standard Package	Recommended Wattage	Width	Weight Standard Package
1100	6	100-150 W.	8¾ inches	13 lbs.
1150	6	150-200 W.	9⅜ inches	15 lbs.
3100	6	100-150 W.	9⅜ inches	15 lbs.
3150	6	150-200 W.	9⅞ inches	18 lbs.
4100	6	100 W.	8 inches	10 lbs.
4200	6	150-200 W.	9½ inches	17 lbs.

Flush Mounting Rings can be furnished for all Mirroflectors. Add 93c. each, list.

Listed under Label Service of Underwriters' Laboratories, Inc.

Blown Reflectors

Made of "Hyperion" Glass



Nova
7001
7002
7003

Nova
7006
7007
7008
7009

Dishes, Units and Advertising Canteen Globes

"Hyperion" Glass



No. 260
Furnished with Bottom Hole



78—Advertising Ball



No. 1558—Deep Type

Number	Standard Package	Dimensions Width		Length		Fitter	Weight Standard Package
78	6	12"	x	12"	x	4"	30 lbs.
78	4	12"	x	12"	x	6"	28 lbs.
78	2	14"	x	14"	x	6"	20 lbs.
78	1	16"	x	16"	x	6"	13 lbs.
260	1	10"	x	9"	x	6"	5 lbs.
1558	24	8"	x	4"	x	8"	38 lbs.
1558	6	10"	x	5"	x	10"	15 lbs.
1558	5	12"	x	6"	x	12"	22 lbs.
1558	4	14"	x	7"	x	14"	24 lbs.
7001	30	5¾"	x	4¾"	x	2¼"	34 lbs.
7002	24	7¾"	x	4¾"	x	2¼"	32 lbs.
7003	12	8½"	x	6"	x	2¼"	32 lbs.
7006	36	7"	x	3½"	x	2¼"	76 lbs.
7007	24	8"	x	3¾"	x	2¼"	34 lbs.
7008	24	9"	x	4½"	x	2¼"	30 lbs.
7009	12	11"	x	5"	x	2¼"	40 lbs.

AVERY LIBRARY
COLUMBIA UNIVERSITY

"Hyperion"

Electrics, Eye Shades, Reflectors and Balls

1520—Reflector



499—Half Shade



501—Reflector



B-57—Ball

With and Without Metal Fitters



1911—Electric



300—Electric



1910—Bowl

Numbers Glass Only	Standard Packages	Dimensions of Glass Width		Length		Fitter	Weight Standard Package
499	36	4½"	x	6"	x	2¼"	33 lbs.
300	36	5"	x	4¼"	x	2¼"	30 lbs.
1520	45	6"	x	3⅞"	x	2¼"	30 lbs.
1520	30	7"	x	4½"	x	2¼"	36 lbs.
1520	24	8"	x	5"	x	2¼	40 lbs.
501	30	6¼"	x	4⅜"	x	2¼"	30 lbs.
B 57	27	6"	x	6"	x	3¼"	26 lbs.
B 57	12	7"	x	7"	x	3¼"	18 lbs.
B 57	12	8"	x	8"	x	3¼–4"	22 lbs.
B 57	1	10"	x	10"	x	4–5–6"	4 lbs.
B 57	1	12"	x	12"	x	6–7–8"	6 lbs.
B 57	1	14"	x	14"	x	6–8"	8 lbs.
B 57	1	16"	x	16"	x	6–8"	10 lbs.
B 57	1	18"	x	18"	x	6–8"	13 lbs.
B 57	1	20"	x	20"	x	6–8"	45 lbs.
1911	36	4½"	x	5⅛"	x	2¼"	35 lbs.
1910	8	11"	x	5"	x	10"	22 lbs.
1910	5	13"	x	5¼"	x	12"	23 lbs.
1910	4	15"	x	6"	x	14"	26 lbs.

Please specify sizes of 1520, 1910 and B-57 that may be desired.
Also mention size of Fitter desired on B-57 Balls.

E. R. BEERS ELEC. CO.
BLOOMSBURG, PA.